Aximax, 400 Series, Conformally Coated, C0G Dielectric, 50 – 200 VDC (Commercial Grade)



Overview

KEMET's Aximax conformally coated axial leaded ceramic capacitors in C0G dielectric feature a 125°C maximum operating temperature. The Electronics Industries Alliance (EIA) characterizes C0G dielectric as a Class I "stable" material. Components of this classification are temperature compensating and are suited for resonant circuit applications or those where Q and stability of capacitance characteristics are required. C0G

exhibits no change in capacitance with respect to time and voltage and boasts a negligible change in capacitance with reference to ambient temperature. Capacitance change is limited to ± 30 ppm/°C from -55°C to +125°C.

These devices meet the flame test requirements outlined in UL Standard 94V-0.

Benefits

- · Axial leaded form factor
- · Conformally coated
- Operating temperature range of -55°C to +125°C
- · Lead (Pb)-Free, RoHS and REACH compliant
- DC voltage ratings of 50 V, 100 V and 200 V
- Capacitance offerings ranging from 1.0 pF up to 0.015 μF
- Available capacitance tolerances of ±0.1 pF, ±0.25 pF, ±0.5 pF, ±1%, ±2%, ±5%, and 10%
- · High temperature solder lead attach
- Extremely low ESR and ESL
- High thermal stability
- · High ripple current capability



Ordering Information

C	410	С	472	J	5	G	5	Т	Α	7200
Ceramic	Style/Size	Specification/ Series	Capacitance Code (pF)	Capacitance Tolerance ¹	Rated Voltage (VDC)	Dielectric	Design	Lead Finish ²	Failure Rate	Packaging (C-Spec)
	410 412 420 430 440	C = Standard	First two digits represent significant figures. Third digit specifies number of zeros.	B = ±0.1 pF C = ±0.25 pF D = ±0.5 pF F = ±1% G = ±2% J = ±5% K = ±10%	5 = 50 1 = 100 2 = 200	G = C0G	5 = Multilayer	T = 100% Matte Sn H = SnPb (60/40)	A = N/A	Blank = Bulk 7200 = 12" Reel 7293 = Ammo Pack

¹ Additional capacitance tolerance offerings may be available. Contact KEMET for details.

Standard: 100% matte tin (Sn) with nickel (Ni) underplate and steel core ("T" designation).


Alternative 1: 60% tin (Sn)/40% lead (Pb) finish with copper-clad steel core ("H" designation).

Alternative 2: 60% tin (Sn)/40% lead (Pb) finish with 100% copper core (available with "H" designation code with C-Spec). Contact KEMET for C-Spec details.

² Lead materials:



Dimensions – Inches (Millimeters)



Series	Style/Size	L Length Maximum	D Diameter Maximum	LD Lead Diameter	LL Lead Length Minimum
C41X	410	0.170 (4.32)	0.095 (2.31)		
U41X	412	0.170 (4.32)	0.120 (3.05)	0.020 + 0.001/	1.0 + 0.001/ -003
C42X	420	0.200 (5.08)	0.100 (2.54)	-0.003 (0.51 + 0.025/	(25.4 + 0.025/
C43X	430	0.240 (6.10)	0.150 (3.81)	-0.076)	-0.076)
C44X	440	0.260 (6.60)	0.150 (3.81)		

Benefits cont'd

- No capacitance change with respect to applied rated DC voltage
- Negligible capacitance change with respect to temperature from -55°C to +125°C
- · No capacitance decay with time
- · Non-polar device, minimizing installation concerns

- 100% pure matte tin-plated lead finish allowing for excellent solderability
- SnPb-plated lead finish option available upon request (Sn60/Pb40)
- Encapsulation meets flamability standard UL 94V-0

Applications

Typical applications include critical timing, tuning, circuits requiring low loss, circuits with pulse, high current, decoupling, bypass, filtering, transient voltage suppression, blocking and energy storage.

Application Notes

These devices are not recommended for use in overmold applications and/or processes

Qualification/Certification

Commercial Grade products are subject to internal qualification. Details regarding test methods and conditions are referenced in Table 2, Performance & Reliability.



Environmental Compliance

Lead (Pb)-Free, REACH and RoHS compliant without exemptions when ordered with a 100% tin (Sn) wire lead finish. Product ordered with tin/ lead (Sn60/Pb40) wire lead finish do not meet RoHS criteria.

Series	Termination Finish (Wire Lead)	RoHS Compliant	RoHS Exemption Code	REACH Compliant ¹	Halogen Free
400 (C4VV)	100% Matte Sn	Yes	n/a	Yes	Yes
400 (C4XX)	Sn60/Pb40	No	n/a	Yes	Yes

¹ REACH compliance indicates product <u>does not</u> contain Substance/s of Very High Concern (SVHC)

Electrical Parameters/Characteristics

Item	Parameters/Characteristics
Operating Temperature Range	-55°C to +125°C
Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	±30 ppm/°C
Aging Rate (Maximum % Cap Loss/Decade Hour)	0%
Dielectric Withstanding Voltage	250% of rated voltage (5 ±1 seconds and charge/discharge not exceeding 50 mA at 25°C)
Dissipation Factor (DF) Maximum Limit at 25°C	0.1%
Insulation Resistance (IR) Limit at 25°C	1,000 megohm microfarads or 100 GΩ (Rated voltage applied for 120 ±5 seconds at 25°C)

To obtain IR limit, divide $M\Omega$ - μ F value by the capacitance and compare to $G\Omega$ limit. Select the lower of the two limits.

Capacitance and dissipation factor (DF) measured under the following conditions:

- 1 MHz ± 100 kHz and 1.0 $V_{rms} \pm 0.2V$ if capacitance $\leq 1,000$ pF
- 1 kHz ± 50 Hz and 1.0 V_{rms} ± 0.2 V if capacitance > 1,000 pF

Note: When measuring capacitance it is important to ensure the set voltage level is held constant. The HP4284 and Agilent E4980 have a feature known as Automatic Level Control (ALC). The ALC feature should be switched to "ON."

Post Environmental Limits

High Temperature Life, Biased Humidity and Storage Life						
Style/Size	Rated DC Voltage	Capacitance Value	Dissipation Factor (Maximum %)	Capacitance Shift	Insulation Resistance	
C0G	All	All	0.5	0.3% or ±0.25 pF	10% of Initial Limit	



Table 1A – C410 Style/Size, Capacitance Range Waterfall

	C410 Style/Size (0.095" Diameter x 0.170" Legnth)				
Rated Volt	age (VDC)	50	100	200	
Voltage		5	1	2	
Capacitance	Capacitance Tolerance	Capacitano	ce Code (Available C	Capacitance)	
1pF		109	109	109	
1.1pF		119	119	119	
1.2pF		129	129	129	
1.3pF		139	139	139	
1.5pF 1.6pF		159 169	159 169	159 169	
1.8pF		189	189	189	
2.0pF		209	209	209	
2.2pF		229	229	229	
2.4pF		249	249	249	
2.7pF	B = ±0.1pF	279	279	279	
3.0pF	C = ±0.25pF	309	309	309	
3.3pF	D = ±0.5pF	339 369	339 369	339	
3.6pF 3.9pF		399	399	369 399	
4.3pF		439	439	439	
4.7pF		479	479	479	
5.1pF		519	519	519	
5.6pF		569	569	569	
6.2pF		629	629	629	
6.8pF		689	689	689	
7.5pF		759	759	759	
8.2pF		829	829	829	
9.1pF 10pF		919 100	919	919	
11pF		110	110	100 110	
12pF		120	120	120	
13pF		130	130	130	
15pF		150	150	150	
16pF		160	160	160	
18pF		180	180	180	
20pF		200	200	200	
22pF		220	220	220	
24pF		240	240	240	
27pF 30pF		270 300	270 300	270 300	
33pF		330	330	330	
36pF		360	360	360	
39pF	F = ±1%	390	390	390	
43pF	G = ±2%	430	430	430	
47pF	J = ±5%	470	470	470	
51pF	K = ±10%	510	510	510	
56pF 62pF		560 620	560 620	560 620	
68pF		680	680	680	
75pF		750	750	750	
82pF		820	820	820	
91pF		910	910	910	
100pF		101	101	101	
110pF		111	111	111	
120pF		121	121	121	
130pF		131	131	131	
150pF 160pF		151 161	151 161	151 161	
180pF		181	181	181	
200pF		201	201	201	
Rated Volt	age (VDC)	50	100	200	
Voltage		5	1	2	
voitage	e coue	l 2	1 1		



Table 1A - C410 Style/Size, Capacitance Range Waterfall cont'd

C410 Style/Size (0.095" Diameter x 0.170" Legnth)				
Rated Volt	age (VDC)	50	100	200
Voltage Code		5	1	2
Capacitance	Capacitance Tolerance	Capacitance	e Code (Available C	apacitance)
220pF		221	221	221
240pF		241	241	241
270pF		271	271	271
300pF		301	301	301
330pF		331	331	331
360pF		361	361	361
390pF		391	391	391
430pF		431	431	431
470pF		471	471	471
510pF		511	511	511
560pF		561	561	
620pF		621	621	
680pF		681	681	
750pF		751	751	
820pF		821	821	
910pF	F = ±1%	911	911	
1000pF	G = ±2%	102	102	
1100pF	J = ±5% K = ±10%	112	112	
1200pF	K = ±10%	122	122	
1300pF		132	132	
1500pF		152	152	
1600pF		162	162	
1800pF		182	182	
2000pF		202	† · · · ·	
2200pF		222		
2400pF		242	Ì	
2700pF		272	Ì	
3000pF		302	Ì	
3300pF		332		
3600pF		362		
3900pF		392	<u> </u>	
4300pF		432	<u> </u>	
4700pF		472	İ	
Rated Volt	age (VDC)	50	100	200
Voltage		5	1	2



Table 1B – C412 Style/Size, Capacitance Range Waterfall

(C412 Style/Size (0.120" Diameter x 0.170" Length)				
Rated Vol	tage (VDC)	50	100		
Voltaç	je Code	5	1		
Capacitance	Capacitance Capacitance Tolerance		Capacitance Code (Available Capacitance)		
1100pF		112	112		
1200pF		122	122		
1300pF		132	132		
1500pF	F = ±1%	152	152		
1600pF	G = ±2%	162	162		
1800pF	J = ±5%	182	182		
2000pF	K = ±10%	202	202		
2200pF		222	222		
2400pF		242	242		
2700pF		272	272		
Rated Vol	Rated Voltage (VDC)		100		
Voltaç	je Code	5	1		



Table 1C - C420 Style/Size, Capacitance Range Waterfall

C	2420 Style/Size (0.100"	Diameter x 0.200" Lengt	h)
Rated Vo	Itage (VDC)	50	100
Voltaç	ge Code	5	1
Capacitance	Capacitance Tolerance	Capacitance Code (A	vailable Capacitano
330pF		331	331
360pF		361	361
390pF		391	391
430pF		431	431
470pF		471	471
510pF		511	511
560pF		561	561
620pF		621	621
680pF		681	681
750pF		751	751
820pF		821	821
910pF		911	911
1000pF		102	102
1100pF	F - : 40/	112	112
1200pF	F = ±1% G = ±2%	122	122
1300pF	$J = \pm 5\%$	132	132
1500pF	K = ±10%	152	152
1600pF	K - ±10 /6	162	162
1800pF		182	182
2000pF		202	202
2200pF		222	222
2400pF		242	242
2700pF		272	272
3000pF		302	302
3300pF		332	332
3600pF		362	362
3900pF		392	392
4300pF		432	432
4700pF		472	472
5100pF		512	512
5600pF		562	562
Rated Vo	Itage (VDC)	50	100
Voltac	ge Code	5	1



Table 1D - C430 Style/Size, Capacitance Range Waterfall

C	C430 Style/Size (0.150" Diameter x 0.240" Length)				
Rated Volt	age (VDC)	50	100		
Voltage	e Code	5	1		
Capacitance	Capacitance Capacitance Tolerance		vailable Capacitance)		
1800pF		182	182		
2000pF		202	202		
2200pF		222	222		
2400pF		242	242		
2700pF		272	272		
3000pF		302	302		
3300pF		332	332		
3600pF	F = ±1%	362	362		
3900pF	G = ±2%	392	392		
4300pF	J = ±5%	432	432		
4700pF	K = ±10%	472	472		
5100pF	17 - 21070	512	512		
5600pF		562	562		
6200pF		622	622		
6800pF		682	682		
7500pF		752	752		
8200pF		822	822		
9100pF		912	912		
0.01µF		103	103		
Rated Volt	age (VDC)	50	100		
Voltage	e Code	5	1		

These products are protected under one or more of the following United States Patents and their non-US counterparts: US Pat. No. 7172985; U.S. Pat. No. 7670981.

Table 1E – C440 Style/Size, Capacitance Range Waterfall

C440 Style/Size (0.150" Diameter x 0.260" Length)				
Rated Volt	Rated Voltage (VDC)		100	
Voltage	e Code	5	1	
Capacitance	Capacitance Tolerance	Capacitance Code (Available Capacital		
5600pF		562	562	
6200pF		622	622	
6800pF		682	682	
7500pF	F = ±1%	752	752	
8200pF	G = ±2%	822	822	
9100pF	J = ±5%	912	912	
0.01µF	K = ±10%	103	103	
0.012µF		123	123	
0.015µF		153	153	
0.015µF		153	153	
Rated Volt	Rated Voltage (VDC)		100	
Voltage	Code	5	1	




Soldering Process

Recommended Soldering Methods:

- Solder Wave
- Hand Soldering (Manual)

Recommended Soldering Profile:

Optimum Wave Solder Profile



Mounting

All encased capacitors will pass the Resistance to Soldering Heat of MIL-STD-202, Method 210, Condition C. This test simulates wave solder topside board mount product. This demonstration of resistance to solder heat is in accordance with what is believed to be the industry standard. More severe treatment must be considered reflective of an improper soldering process.

The above figure is a recommended solder wave profile for both axial and radial leaded ceramic capacitors.

Hand Soldering (Manual)

Manual Solder Profile with Pre -heating






Table 2 - Performance & Reliability: Test Methods and Conditions

Stress	Reference	Test or Inspection Method
Solderability	J-STD-002	Magnification 50X. Conditions: a) Method A, at 235°C, Category 3
Temperature Cycling	JESD22 Method JA-104	1,000 cycles (-55°C to +125°C), measurement at 24 hours +/- 4 hours after test conclusion.
Biased Humidity	MII-STD-202 Method 103	Load humidity, 1,000 hours 85°C/85%RH and rated voltage. Add 100 K ohm resistor. Measurement at 24 hours +/- 4 hours after test conclusion.
biased Humiliary	WILE-STD-202 Method 103	Low volt humidity, 1,000 hours 85C°/85%RH and 1.5 V. Add 100 K ohm resistor. Measurement at 24 hours +/- 4 hours after test conclusion.
Moisture Resistance	MIL-STD-202 Method 106	t = 24 hours/cycle. Steps 7a & 7b not required. Unpowered. Measurement at 24 hours +/- 4 hours after test conclusion.
Thermal Shock	MIL-STD-202 Method 107	-55°C to +125°C. Note: Number of cycles required = 300. Maximum transfer time = 20 seconds. Dwell time -15 minutes. Air-Air.
High Temperature Life	MIL-STD-202 Method 108 / EIA -198	1,000 hours at 125°C (85°C for Z5U) with 2 X rated voltage applied.
Storage Life	MIL-STD-202 Method 108	125°C, 0 VDC for 1,000 hours.
Vibration	MIL-STD-202 Method 204	5 g for 20 minutes, 12 cycles each of 3 orientations. Note: Use 8"X5" PCB .031" thick 7 secure points on one long side and 2 secure points at corners of opposite sides. Parts mounted within 2" from any secure point. Test from 10-2000 Hz.
Resistance to Soldering Heat	MIL-STD-202 Method 210	Condition B. No preheat of samples. Note: single wave solder – procedure 2.
Terminal Strength	MIL-STD-202 Method 211	Conditions A (454g), Condition C (227g)
Mechanical Shock	MIL-STD-202 Method 213	Figure 1 of Method 213, Condition C.
Resistance to Solvents	MIL-STD-202 Method 215	Add aqueous wash chemical – OKEM Clean or equivalent.


Storage & Handling

The un-mounted storage life of a leaded ceramic capacitor is dependent upon storage and atmospheric conditions as well as packaging materials. While the ceramic chips enveloped under the epoxy coating themselves are quite robust in most environments, solderability of the wire lead on the final epoxy-coated product will be degraded by exposure to high temperatures, high humidity, corrosive atmospheres, and long term storage. In addition, packaging materials will be degraded by high temperature and exposure to direct sunlight – reels may soften or warp, and tape peel force may increase.


KEMET recommends storing the un-mounted capacitors in their original packaging, in a location away from direct sunlight, and where the temperature and relative humidity do not exceed 40 degrees centigrade and 70% respectively. For optimum solderability, capacitor stock should be used promptly, preferably within 18 months of receipt. For applications requiring pre-tinning of components, storage life may be extended if solderability is verified. Before cleaning, bonding or molding these devices, it is important to verify that your process does not affect product quality and performance. KEMET recommends testing and evaluating the performance of a cleaned, bonded or molded product prior to implementing and/or qualifying any of these processes.



Construction



Marking





Packaging Quantities

Style/Size	Standard Bulk Quantity	Ammo Pack Quantity Maximum	Reel Quantity Maximum (12" Reel)
410	300/Box	4000	5000
412	200/Box		
420	300/Box		
430	200/Box	2000	2500
440	200/Box		




Tape & Reel Packaging Information


KEMET offers standard reeling of molded and conformally coated axial leaded ceramic capacitors for automatic insertion or lead forming machines in accordance with EIA standard 296. KEMET's internal specification four-digit suffix, 7200, is placed at the end of the part number to designate tape and reel packaging, e.g., C410C104Z5U5CA7200.

Paper (50 lb.) test minimum is inserted between the layers of capacitors wound on reels for component pitch ≤ 0.400".

Capacitor lead length may extend only a maximum of .0625" (1.59 mm) beyond the tapes' edges. Capacitors are centered in a row between the two tapes and will deviate only ± 0.031" (0.79 mm) from the row center. A minimum of 36" (91.5 cm) leader tape is provided at each finished length of taped components.

Universal splicing clips are used to connect the tape.








Table 3 – Ceramic Axial Tape and Reel Dimensions

Metric will govern

Dimensions — Millimeters (Inches)			
Axial Capacitor	A	В	
Body Diameter	±0.5 (0.020)	±1.5 (0.059)*	
0.0 to 5.0 (0.0 to 0.197)	5.0 (0.197)	52.4 (2.062)	

Symbol Reference Table			
Α	Component Pitch		
В	Inside Tape Spacing		

^{*} Inside tape spacing dimension (B) is determined by the body diameter of the capacitor.



KEMET Corporation World Headquarters

2835 KEMET Way Simpsonville, SC 29681

Mailing Address: P.O. Box 5928 Greenville, SC 29606

www.kemet.com Tel: 864-963-6300 Fax: 864-963-6521

Corporate Offices Fort Lauderdale, FL Tel: 954-766-2800

North America

Northeast

Wilmington, MA Tel: 978-658-1663

Southeast

Lake Mary, FL Tel: 407-855-8886

Central

Novi, MI

Tel: 248-994-1030

Irving, TX

Tel: 972-915-6041

West

Milpitas, CA Tel: 408-433-9950

Mexico

Guadalajara, Jalisco Tel: 52-33-3123-2141

Europe

Southern Europe Sasso Marconi, Italy Tel: 39-051-939111

Skopje, Macedonia Tel: 389-2-55-14-623

Central Europe Landsberg, Germany Tel: 49-8191-3350800

Kamen, Germany Tel: 49-2307-438110

Northern Europe

Wyboston, United Kingdom Tel: 44-1480-273082

Espoo, Finland Tel: 358-9-5406-5000

Asia

Northeast Asia Hong Kong Tel: 852-2305-1168

Shenzhen, China Tel: 86-755-2518-1306

Beijing, China Tel: 86-10-5877-1075

Shanghai, China Tel: 86-21-6447-0707

Seoul, South Korea Tel: 82-2-6294-0550

Taipei, Taiwan Tel: 886-2-27528585

Southeast Asia

Singapore

Tel: 65-6701-8033

Penang, Malaysia Tel: 60-4-6430200

Bangalore, India Tel: 91-806-53-76817

Note: KEMET reserves the right to modify minor details of internal and external construction at any time in the interest of product improvement. KEMET does not assume any responsibility for infringement that might result from the use of KEMET Capacitors in potential circuit designs. KEMET is a registered trademark of KEMET Electronics Corporation.



Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.