Resistive Product Solutions


Features:

- Non-inductive design
- Molded body for package uniformity
- Ideal for pulse-load handling characteristics
- RoHS compliant / lead-free




Electrical Specifications						
Type / Code	Power Rating (Watts) @ 70°C	Maximum Continuous Working Voltage (1)	Maximum Pulse Voltage	Dielectric Withstanding Voltage	Ohmic Range (Ω) and Tolerance	
					5%	10%
RC14	0.25W	250V	400V	500V	2.2 - 5.6M	1 - 5.6M
RC12	0.5W	350V	700V	700V	1 - 2	22M

(1) Lesser of √PR or maximum working voltage.



Type / Code	A	В	С	D	Unit
Type / Code	Body Length	Body Diameter	Lead Length (Bulk)	Lead Diameter	Onit
RC14	0.248 ± 0.028	0.094 ± 0.004	1.181 ± 0.118	0.024 ± 0.002	inches
1014	6.30 ± 0.70	2.40 ± 0.10	30.00 ± 3.00	0.60 ± 0.05	mm
RC12	0.374 ± 0.031	0.142 ± 0.008	1.102 ± 0.118	0.028 ± 0.003	inches
RC12	9.50 ± 0.80	3.60 ± 0.20	28.00 ± 3.00	0.70 ± 0.07	mm

Power Derating Curve:





Resistance Temperature Characteristics						
Resistance Range	-55°C	+105°C				
Under 1K	+2 to + 5	-4 to -2				
1K to 9.1K	+5 to +9	-5 to -3	Maximum % resistance change from room temperature (+25°C) value			
10K to 91K	+8 to +11	-7 to -5	100m temperature (+25°C) value			
100K to 910K	+10 to +14	-9 to -7				
1M to 10M	+13 to +20	-14 to -9				

Performance Characteristics (JISC 5201 - 1:1998)					
Test	Test Results	Test Method			
Voltage Proof	No breakdown or flashover	V-block method RC 1/4 100 VAC, 60 seconds RC 1/2 500 VAC, 60 seconds			
Overload	$\pm 2\%$ +0.05Ω No visible damage, legible markings	2.5 times the rated voltage or twice the limiting element voltage, whichever is less. Severe, 5 seconds.			
Termination Strength	Tensile: $\pm 2\% + 0.05\Omega$. No visible damage Bending: $\pm 2\% + 0.05\Omega$. No visible damage Torsion: $\pm 2\% + 0.05\Omega$. No visible damage	10N for 5 - 10 seconds 5N, twice 180°C, two rotations			
Solderability	In accordance with Clause 4.17.4.5	235°C, 5 seconds			
Resistance to Soldering Heat	$\pm 3\% +0.05 \Omega$ No visible damage, legible markings	After immersion into flux, the immersion into solder shall be carried out 4mm from the body at 350°C for 3.5 seconds			
Temperature Shock $\pm 2\% + 0.05\Omega$ No visible damage.		5 cycles between -55°C to 125°C			
Climatic Sequence	±10% +0.5Ω	Dry/Damp heat: 12 +12 hour cycle, first cycle Cold/Damp heat: 12 + 12 hour cycle, remaining cycle D.C. load			
Damp Test, Steady State	±10% +0.5Ω Insulation resistance: R ≥100M ohm. No visible damage, legible markings	40°C 95% relative humidity for 56 days, test a, b and c of Clause 4.24.2.1			
Endurance @ 70°C	±10% +0.5Ω Insulation resistance: R ≥1G ohm. No visible damage.	Rated voltage, 1.5 hours ON, 0.5 hours OFF at 70°C, 1,000 hours			
Endurance @ 125ºC	±10% +0.5Ω Insulation resistance: R ≥1G ohm. No visible damage.	125°C, no load, 1,000 hours			

Operating Temperature Range: -55°C to +125°C


Reliability Test – Load Life in Moisture							
Criteria (%)		Load Ratio	Total Testing	Number of	Failure Ratio		Average Lifetime
		P/Pn (%)	Time (Hrs)	Fractures (pcs)	λ	λCL (60%)	(60% reliability level) (Hrs)
Δ R/R	±5	0	2.984 x 10 ⁶	6	0.201	0.244	4.098 x 10 ⁵
		20	2.990 x 10 ⁶	4	0.134	0.176	5.682 x 10 ⁵
		60	2.997 x 10 ⁶	2	0.067	0.104	9.615 x 10 ⁵
		100	2.992 x 10 ⁶	3	0.1	0.139	7.194 x 10 ⁵
		Total	1.196 x 10 ⁷	15	0.125	0.138	7.209 x 10 ⁵
	±10	Total	1.2 x 10 ⁷	0	0.0055	0.0077	1.299 x 10 ⁷







Carbon Composition Resistor


Continuous Pulse Circuit 100 Pulse Data E: 10kV; C1: 1000pF; R1: 1KΩ; R2: 4MΩ; X: Sample: RS: 15MΩ; 100 times pulse.





Resistive Product Solutions





Technical Guide:

1. Storage Conditions:

Temperature: 5 to 35° C (40 to 95° F) Humidity: 25 – 60% relative humidity

Term: One year in poly-bag with desiccant. If parts are removed from the poly-bag,

they should be used immediately or resealed in the bag.


Environment: Clean, dry environment, free of corrosive gases

2. Application precautions:

Lead forming: Forming is recommended at least 2mm of farther from the base of the lead Soldering: Soldering is recommended at least 4mm or farther from the base of the lead

3. Washing:


Carbon composition resistors are highly hygroscopic and changes in resistance value can occur if too much moisture is absorbed. For this reason it is recommended not to use water or water-soluble solvents to clean these components. Alcohol or hydrocarbon solvents are recommended for rinsing.



4. Soldering Recommendations:

Note: The conditions shown below are for reference. Please perform a mounting evaluation to assure compatibility.

a. Flow soldering (recommended profile for Sn and Sn/Pb solders)



b. Soldering iron (recommended for Sn and Sn/Pb solders)

Temperature of soldering tip: 300°C, duration: 10 sec. max. Temperature of soldering tip: 350°C, duration: 3 sec. max.

Other:

- 1. Evaluate and confirm the compatibility of your assembly process with this product.
- 2. Refer to the catalog, the product news, and the specifications for details on the RC series resistors.
- 3. If you have any questions, please contact our sales staff.

Resistive Product Solutions

