


0.5mm Pitch

SERIES


# 6214

0.5mmピッチ ストレート SMT 片面接点 スライドロック


0.5mmPitch Vertical SMT Single-sided contact Slide lock




標準タイプ Standard Slider




| 極数<br>NO. OF<br>POS. | A    | B    | C    | D    |
|----------------------|------|------|------|------|
| 6                    | 7.5  | 6.9  | 2.5  | 3.6  |
| 7                    | 8.0  | 7.4  | 3.0  | 4.1  |
| 8                    | 8.5  | 7.9  | 3.5  | 4.6  |
| 9                    | 9.0  | 8.4  | 4.0  | 5.1  |
| 10                   | 9.5  | 8.9  | 4.5  | 5.6  |
| 11                   | 10.0 | 9.4  | 5.0  | 6.1  |
| 12                   | 10.5 | 9.9  | 5.5  | 6.6  |
| 13                   | 11.0 | 10.4 | 6.0  | 7.1  |
| 14                   | 11.5 | 10.9 | 6.5  | 7.6  |
| 15                   | 12.0 | 11.4 | 7.0  | 8.1  |
| 16                   | 12.5 | 11.9 | 7.5  | 8.6  |
| 17                   | 13.0 | 12.4 | 8.0  | 9.1  |
| 18                   | 13.5 | 12.9 | 8.5  | 9.6  |
| 19                   | 14.0 | 13.4 | 9.0  | 10.1 |
| 20                   | 14.5 | 13.9 | 9.5  | 10.6 |
| 21                   | 15.0 | 14.4 | 10.0 | 11.1 |
| 22                   | 15.5 | 14.9 | 10.5 | 11.6 |
| 23                   | 16.0 | 15.4 | 11.0 | 12.1 |
| 24                   | 16.5 | 15.9 | 11.5 | 12.6 |
| 25                   | 17.0 | 16.4 | 12.0 | 13.1 |
| 26                   | 17.5 | 16.9 | 12.5 | 13.6 |
| 27                   | 18.0 | 17.4 | 13.0 | 14.1 |
| 28                   | 18.5 | 17.9 | 13.5 | 14.6 |
| 29                   | 19.0 | 18.4 | 14.0 | 15.1 |
| 30                   | 19.5 | 18.9 | 14.5 | 15.6 |



スライダー拡張タイプ Extended Slider



| 極数<br>NO. OF<br>POS. | A    | B    | C    | D    |
|----------------------|------|------|------|------|
| 6                    | 7.5  | 6.9  | 2.5  | 3.6  |
| 7                    | 8.0  | 7.4  | 3.0  | 4.1  |
| 8                    | 8.5  | 7.9  | 3.5  | 4.6  |
| 9                    | 9.0  | 8.4  | 4.0  | 5.1  |
| 10                   | 9.5  | 8.9  | 4.5  | 5.6  |
| 11                   | 10.0 | 9.4  | 5.0  | 6.1  |
| 12                   | 10.5 | 9.9  | 5.5  | 6.6  |
| 13                   | 11.0 | 10.4 | 6.0  | 7.1  |
| 14                   | 11.5 | 10.9 | 6.5  | 7.6  |
| 15                   | 12.0 | 11.4 | 7.0  | 8.1  |
| 16                   | 12.5 | 11.9 | 7.5  | 8.6  |
| 17                   | 13.0 | 12.4 | 8.0  | 9.1  |
| 18                   | 13.5 | 12.9 | 8.5  | 9.6  |
| 19                   | 14.0 | 13.4 | 9.0  | 10.1 |
| 20                   | 14.5 | 13.9 | 9.5  | 10.6 |
| 21                   | 15.0 | 14.4 | 10.0 | 11.1 |
| 22                   | 15.5 | 14.9 | 10.5 | 11.6 |
| 23                   | 16.0 | 15.4 | 11.0 | 12.1 |
| 24                   | 16.5 | 15.9 | 11.5 | 12.6 |
| 25                   | 17.0 | 16.4 | 12.0 | 13.1 |
| 26                   | 17.5 | 16.9 | 12.5 | 13.6 |
| 27                   | 18.0 | 17.4 | 13.0 | 14.1 |
| 28                   | 18.5 | 17.9 | 13.5 | 14.6 |
| 29                   | 19.0 | 18.4 | 14.0 | 15.1 |
| 30                   | 19.5 | 18.9 | 14.5 | 15.6 |




基板取付寸法 (奇数ピン)

MOUNTING LAYOUT (ODD PIN)

基板取付寸法 (偶数ピン)

MOUNTING LAYOUT (EVEN PIN)



適用FPC, FFC寸法

APPLICABLE FPC, FFC

注文コード ORDERING CODE

04 6214 0XX XXX XXX+

RoHS 対応品

RoHS Compliant Product

800+: スズ銅めっき Sn-Cu Plated

846+: 金めっき Au Plated

000: 標準タイプ Standard Slider

010: スライダー拡張タイプ Extended Slider

極数 NUMBER OF POSITIONS

生産対応可能極数については、営業部に  
ご確認願います。

Feel free to contact our sales department  
for available numbers of positions.


0.5mm Pitch

SERIES


# 6214

エンボス梱包品


Tape and Reel Package




SECT. E-E



SECT. E-E



SECT. E-E



SECT. F-F

| 寸法表 DIMENSION     |                      |     |     |      |
|-------------------|----------------------|-----|-----|------|
| 極数<br>NO. OF POS. | 型番                   | A   | B   | C    |
| 6                 | 04 6214 006 XXX XXX+ | 5.2 | 7.3 | 9.5  |
| 7                 | 04 6214 007 XXX XXX+ | 5.7 | 7.8 | 10.0 |
| 8                 | 04 6214 008 XXX XXX+ | 6.2 | 8.3 | 10.5 |

| 寸法表 DIMENSION     |                      |      |      |      |
|-------------------|----------------------|------|------|------|
| 極数<br>NO. OF POS. | 型番                   | A    | B    | C    |
| 9                 | 04 6214 009 XXX XXX+ | 6.7  | 8.8  | 11.0 |
| 10                | 010                  | 7.2  | 9.3  | 11.5 |
| 11                | 011                  | 7.7  | 9.8  | 12.0 |
| 12                | 012                  | 8.2  | 10.3 | 12.5 |
| 13                | 013                  | 8.7  | 10.8 | 13.0 |
| 14                | 014                  | 9.2  | 11.3 | 13.5 |
| 15                | 015                  | 9.7  | 11.8 | 14.0 |
| 16                | 016                  | 10.2 | 12.3 | 14.5 |
| 17                | 017                  | 10.7 | 12.8 | 15.0 |
| 18                | 018                  | 11.2 | 13.3 | 15.5 |
| 19                | 019                  | 11.7 | 13.8 | 16.0 |
| 20                | 020                  | 12.2 | 14.3 | 16.5 |
| 21                | 021                  | 12.7 | 14.8 | 17.0 |
| 22                | 022                  | 13.2 | 15.3 | 17.5 |
| 23                | 023                  | 13.7 | 15.8 | 18.0 |
| 24                | 04 6214 024 XXX XXX+ | 14.2 | 16.3 | 18.5 |

| 寸法表 DIMENSION     |                      |      |      |      |
|-------------------|----------------------|------|------|------|
| 極数<br>NO. OF POS. | 型番                   | A    | B    | C    |
| 25                | 04 6214 025 XXX XXX+ | 14.7 | 16.8 | 19.0 |
| 26                | 026                  | 15.2 | 17.3 | 19.5 |
| 27                | 027                  | 15.7 | 17.8 | 20.0 |
| 28                | 028                  | 16.2 | 18.3 | 20.5 |
| 29                | 029                  | 16.7 | 18.8 | 21.0 |
| 30                | 04 6214 030 XXX XXX+ | 17.2 | 19.3 | 21.5 |

注文コード ORDERING CODE

04 6214 0XX XXX XXX+

RoHS 対応品

RoHS Compliant Product

800+ : スズ銅めっき Sn-Cu Plated

846+ : 金めっき Au Plated

000 : 標準タイプ Standard Slider

010 : スライダー拡張タイプ Extended Slider

極数 NUMBER OF POSITIONS

生産対応可能極数については、営業部にご確認願います。

Feel free to contact our sales department for available numbers of positions.

梱包数量 1000個/リール

PACKING QUANTITY : 1000/Reel

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[AVX:](#)

[046214020010800](#) [046214012000800](#) [046214020010800+](#) [046214012000800+](#) [046214020000800+](#)  
[046214012010800+](#) [046214027000800+](#) [046214021010800+](#) [046214009000800+](#)