



Distributed by:

JAMECO[®]
ELECTRONICS

www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 481393



NO. OF CKTS	DIM. A	DIM. B
1	NOT AVAILABLE	
2	(3,961.05)	(8.79)
	.1561.002	.346
3	(7,921.05)	(12.75)
	.3121.002	.508
4	(11,891.05)	(16.71)
	.4681.002	.658
	(15,851.08)	(20.67)
	.6241.003	.814
6	(19,811.08)	(24.64)
	.7801.003	.970
7	(23,771.10)	(28.60)
	.9361.004	1.126
8	(27,741.10)	(32.56)
	1.0921.004	1.282
9	(31,701.10)	(36.53)
	1.2481.004	1.438
10	(35,661.15)	(40.49)
	1.4051.006	1.594
11	(39,621.15)	(44.45)
	1.5601.006	1.750
12	(43,591.15)	(48.41)
	1.7161.006	1.906
13	(47,551.15)	(52.37)
	1.8721.006	2.062
14	(51,511.18)	(56.34)
	2.0281.007	2.218
15	(55,471.18)	(60.30)
	2.1841.007	2.374
16	(59,441.20)	(64.26)
	2.3401.008	2.530
17	(63,401.20)	(68.22)
	2.4961.008	2.686
18	(67,361.23)	(72.19)
	2.6521.009	2.842
19	(71,321.20)	(76.15)
	2.8081.008	2.998
20	(75,281.23)	(80.11)
	2.9641.009	3.154

1. MATERIAL: GLASS FILLED POLYESTER, 94V-0, MOLDED NATURAL
2. MATES WITH .156 CENTER HEADERS AND .045 50. OR RD. PIN.
3. HOUSING ACCEPTS STANDARD TERMINAL NOS.:
2478 (18-24 AWC) WITH (2.79)/.110 MAX. INSULATION DIA.
2578 (22-26 AWC) WITH (.65)/.065 MAX. INSULATION DIA.
OR TRIFURCON TERMINAL NOS.:
6438 (18-22 AWC) WITH (2.79)/.110 MAX. INSULATION DIA.
6838 (18-24 AWC) WITH (2.79)/.110 MAX. INSULATION DIA.
7258 (22-26 AWC) WITH (.65)/.065 MAX. INSULATION DIA.
4. BOW .006 IN/IN.
5. THIS PART CONFORMS TO PRODUCT SPEC. 08-50 & 40-02.
6. .005 MAX. FLASH ALLOWED ALONG DIMENSION B
AND IN LOCKING WINDOW.

41695 - * - * N - ## - * *

COLOR CODE
N=MOLDED NATURAL
B=BLACK

PEG LOCATION
A=CKT NO. 1
B=CKT NO 2 ETC

VOID CODE

BLANK=NO VOIDS
NO.=NO. CORRESPONDS TO CKT. NO. VOIDED
MULT. VOIDS=START WITH 51


NO. OF CKTS.

OPTION CODE		RAMP	POLARIZE	PACKAGING			RIB	PEG
A	NO	NO	BULK	PER	PK-41695-001		NO	NO
B	YES	NO	BULK	PER	PK-41695-002		NO	NO
D	YES	YES	BULK	PER	PK-41695-003		NO	NO
E	YES	NO	BULK	PER	PK-41695-002		YES	NO
F	NO	NO	TBD				NO	YES
G	END RAMP ONLY	YES	BULK	PER	PK-41695-003		NO	NO


		F	ADD PACK SPEC UCR2000-0956 4-16-01 SAMIEC
4	E	EI	REL NO19,20 UCR2000-0644 7-3-00 SAMIEC
3	EI		
2	D9	E	REV -NG TO PART UCR2000-0007

[illegible]

RAMP WITH RIBS FOR OVER MOLDING



PEG OPTION



PART NO.	ENG. NO.	VOIDS
	NOT AVAILABLE	
09-50-8023	41695-N-02	
09-50-8033	41695-N-03	
09-50-8043	41695-N-04	
09-50-8053	41695-N-05	
09-50-8063	41695-N-06	
09-50-8073	41695-N-07	
09-50-8083	41695-N-08	
09-50-8093	41695-N-09	
09-50-8103	41695-N-010	
09-50-8113	41695-N-011	
09-50-8123	41695-N-012	
09-50-8133	41695-N-013	
09-50-8143	41695-N-014	
09-50-8153	41695-N-015	
09-50-8163	41695-N-016	
09-50-8173	41695-N-017	
09-50-8183	41695-N-018	
09-50-8193	41695-N-019	
09-50-8203	41695-N-020	
	41695-N-D15-12	12
09-50-9053	41695-N-D5-2	2
09-50-9094	41695-N-D9-3	3
09-50-9033	41695-N-D3-2	2
09-50-9043	41695-N-D2-2	2
09-50-9063	41695-N-D6-2	2
09-50-9073	41695-N-D7-2	2
09-50-9044	41695-N-D4-3	3

PART NO.	ENG. NO.	VOIDS
	NOT AVAILABLE	
09-50-8024	41695-N-E2	
	41695-N-E3	
	41695-N-E4	
	41695-N-E5	
09-50-8064	41695-N-E6	
	41695-N-E7	
	41695-N-E8	
	41695-N-E9	
	41695-N-E10	
	41695-N-E11	
	41695-N-E12	
	41695-N-E13	
	41695-N-E14	
	41695-N-E15	
	41695-N-E16	
	41695-N-E17	
	41695-N-E18	
	41695-N-E19	
	41695-N-E20	
09-50-9032	41695-N-E3-2	2
09-50-9042	41695-N-E3-2	2
09-50-9062	41695-N-E6-2	2
09-50-9072	41695-N-E7-2	2

[illegible][illegible]