



SMB CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

TE CONNECTIVITY (TE)

SMB RM BHJ PS 50Ohm Gold Pltd RG174A/U,

1-1337476-0

TE Internal Number: 1-1337476-0

[Converted to EU RoHS/ELV Compliant](#)

Applies To **Cable**

Panel Mount **With**

Panel Mount Retention Type **Bulkhead, Hex Nut**

50 Ohm **Yes**

75 Ohm **No**

Product Drawings

[SMB BULKHEAD JACK REAR MOUNT SOLDER 50 OHM RG174A/U, 188A/U, 316/U, URM95, KX3B, KX22A](#)

PDF [\(TIFF AVAILABLE\)](#)
English

[SMB BULKHEAD JACK REAR MOUNT SOLDER 50 OHM RG174A/U, 188A/U, 316/U, URM95, KX3B, KX22A](#)

PDF [\(TIFF AVAILABLE\)](#)
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To	Cable
Connector Style	Jack
Cable Type	KX 22A, KX 3B
Sealed	No
Product Type	Connector - RF
Grade	Professional
Flats Dimension	6.0 A/F
Dielectric Material	PTFE

Configuration Features

Preloaded	Yes
Solder Lug	Without
Panel Cutout	4.9 x 4.5 D-Shape

Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Style	Straight
	Body Material	Brass
	Body Plating Material	Gold
	Body Shape	Hexagonal
	Environmental Protection	Without
Contact Features	Pin Protection	With
	Center Contact Material	Brass
	Center Contact Plating Material	Gold
Termination Features	Cable Termination Type	Solder/Clamp
Mechanical Attachment	Panel Mount	With
	Panel Mount Retention Type	Bulkhead, Hex Nut
	Safety Wire Holes	Without
	Polarized	No
	Lockwasher Material	Brass
	Lockwasher Plating Material	Gold
	Panel Attachment Style	Rear Mount
Dimensions	Length	21.9 mm [.862 in]
	Panel Thickness	1 – 2.6 mm [.039 – .102 in]
Packaging Features	Packaging Quantity	100
	Packaging Method	Tray
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

