



SMA CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

SMA R/A PLG S/CRMP RG174 GSS

SMA

1-1478924-0

TE Internal Number: 1-1478924-0

Converted to EU RoHS/ELV Compliant

Applies To **Coaxial Cable**

Panel Mount **With**

Body Material **Stainless Steel**

Body Plating Material **Gold**

RF Connector Type **SMA**

Product Drawings

[SMA RIGHT ANGLE CRIMP ATTACHMENT CAPTIVE CONTACT RG174A/U, 188A/U, 316/U, KX3B, KX22A](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Coaxial Cable

RF Connector Type

SMA

Connector Style

Plug

Cable Type

KX 22A, KX 3B

Product Type

Connector - RF

Shrink Tubing

Without

Flats Dimension

8.0 A/F

	Dielectric Material	PTFE
	Retractable Collar	Without
	Grade	Professional
	Sealed	No
Configuration Features	Snap-Lock	Without
Body Features	Body Material	Stainless Steel
	Body Plating Material	Gold
	Body Style	Right Angle
	Gasket Material	Silicone Rubber
	Ferrule Material	Brass
	Ferrule Plating Material	Gold
Contact Features	Center Contact Plating Material	Gold
	Center Contact	With
	Center Contact Material	Brass
	Captivated Contacts	Without
Termination Features	Cable Termination Type	Solder/Crimp
	Crimp Type	Hex
Mechanical Attachment	Panel Mount	With
	Polarized	No
	Safety Wire Holes	Without
	Coupling Nut Material	Stainless Steel
	Coupling Nut Plating Material	Gold
Dimensions	Length	12.6 mm [.496 in]
Packaging Features	Packaging Method	Box
	Packaging Quantity	100
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

