

4




3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
DW	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A2		REVISED PER ECO-11-005140	31MAR11	RK	HMR




BOTTOM VIEW



VIEW A



VIEW B



TOP VIEW

**OBSELETE**  
**OBSELETE**

DIM J	DIM H	DIM G	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	RJ11	PICK CAP	MIN. GOLD THICKNESS	PART NUMBER
16.5	13.10	15.50	10.16	4.06	6.60	9.87	13.60	16.46	6P6C	WITH	50µ	1-1734858-8
											30µ	1-1734858-7
											15µ	1-1734858-6
											6µ	1-1734858-5
											50µ	1-1734858-4
											30µ	1-1734858-3
											15µ	1-1734858-2
											6µ	1-1734858-1
											50µ	1-1734858-4
											30µ	1-1734858-3
											15µ	1-1734858-2
											6µ	1-1734858-1

NOTE:  
 1. MATERIAL:  
 HOUSING: PA46 WITH 30% GF, UL 94V-0, BLACK COLOR.  
 CONTACTS: PHOSPHOR BRONZE.  
 HOLD DOWN: COPPER ALLOY.

2. FINISH:  
 CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA,  
 GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT  
 UNDERPLATED 1.27µm [50µ] MIN. NICKEL.  
 HOLD DOWN: 2.54µm [100µ] MIN. MATTE-TIN UNDERPLATED OVER ALL.

3. REFLOW SOLDER CAPABLE TO 260°C PER TE SPEC.  
 109-201, CONDITION B.

**OBSELETE PARTS: OBSELETE CIS STREAMLINING PER D.RENAUD/D.SINISI**

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.50 1 PLC ± 0.30 2 PLC ± 0.20 3 PLC ± 0.10 4 PLC ± - ANGLES ± -	DWN O. HOU 06NOV2007	CHK S. HOU 06NOV2007	TE Connectivity	
MATERIAL SEE NOTE	FINISH SEE NOTE	APVD W. KODAMA 06NOV2007	NAME	MODULAR JACK, RJ45/RJ11 TOP ENTRY, SMT TYPE	
PRODUCT SPEC 108-57464 QUALIFICATION TEST REPORT 501-57546		SIZE A3	CAGE CODE 00779	DRAWING NO C-1734858	RESTRICTED TO -
CUSTOMER DRAWING		WEIGHT 3.3 GRAMS	SCALE -	SHEET 1 OF 3	REV A2



4






3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 COPYRIGHT - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
DW	-	SEE SHEET 1.			



1400	350	8PBC	2-1734858-X
1400	350	6P6C	1-1734858-X
1400	350	4P4C	1734858-X
TOTAL(PCS)	PCS/ REEL	RJ45/RJ11	PART NUMBER

\* COVER TAPE PEELING FORCE:



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN O. HU 06NOV2007	 TE Connectivity <b>MODULAR JACK, RJ45/RJ11</b> <b>TOP ENTRY, SMT TYPE</b>		
DIMENSIONS:		CHK S. HOU 06NOV2007			NAME
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 06NOV2007			PRODUCT SPEC
MM		APPLICATION SPEC			WEIGHT
MATERIAL		FINISH	SIZE A3	CAGE CODE 00779	
			DRAWING NO C=1734858	RESTRICTED TO	
			CUSTOMER DRAWING	SCALE	
			SHEET 3 of 3	REV A2	