


Restricted to: General Release

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT
REV 10 989061



Left Side

Connector(s): LC-Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: N/A

Fiber Path

A - _____ - B
B - _____ - A

Right Side

Connector(s): LC-Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: N/A

Notes:

- 1 Includes dust caps (not shown on print).
- 2 Label 2 will not be present on any cable assembly less than 5 meters long.
- 3 Product and Processing must meet requirements of Tyco Electronics Standard 230-702

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA 17105-3608.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

	A	Rev Per EC#	RELEASE	8/9/2006	-	JD			
P	LTR	REVISION RECORD		DATE	DIN	APVD			

DIMENSIONS:	
meters	

TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 P.L.C.	± .
1 P.L.C.	± .
2 P.L.C.	± .
3 P.L.C.	± .
4 P.L.C.	± .

Customer Print

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	Jeremy Duncan		
APVD	Jeremy Duncan		
NAME	FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, LC-Duplex to LC-Duplex		
SCALE	NTS	SIZE	A2
DRAWING NO	C- 1906865	SHEET	1 of 4
REV	A		

AMP Tyco Electronics, Inc.
Harrisburg, PA 17105-3608

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

CAC Customer Layout Rev: D

Qty	U of M	Description	Item No.
4	piece	LC, SC, FC Straight Boot, Beige	1
2	piece	LC Duplex clip, black	2
4	piece	LC Connector Assy, MM	3
AR	meter	2 fiber, 62.5/125, 2.0mm, Twinzip, Orange, OFNR (Riser)	4
4	piece	Eyelet/Shrink tube assembly - White	5
2	piece	Trace Label	6

DIMENSIONS; meters		TOLERANCES UNLESS OTHERWISE SPECIFIED	
	0 PLC	±	-
	1 PLC	±	-
	2 PLC	±	-
	3 PLC	±	-
	4 PLC	±	-

Customer Print

DW		Cable Assy Configurator		MATERIAL		HEAT TREAT	
CHK		Jeremy Duncan		-		-	
APVD		Jeremy Duncan					
NAME		FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, LC-Duplex to LC-Duplex					
SCALE	SIZE	DRAWING NO.	SHEET		REV		
NTS	A2	C- 1906865	2 of 4		A		

A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

THIS DRAWING IS A CONTROLLED DOCUMENT.

ENC 40

Restricted to: General Release

Part #	L (meters)	L (feet)	LC-Duplex, Beige		LC-Duplex, Beige	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
4-1906865-3	42.570 - 43.430	139.66 - 142.48	0.56	-	0.56	-
4-1906865-4	43.560 - 44.440	142.91 - 145.80	0.57	-	0.57	-
4-1906865-5	44.550 - 45.450	146.16 - 149.11	0.57	-	0.57	-
4-1906865-6	45.540 - 46.460	149.40 - 152.42	0.57	-	0.57	-
4-1906865-7	46.530 - 47.470	152.65 - 155.74	0.57	-	0.57	-
4-1906865-8	47.520 - 48.480	155.90 - 159.05	0.57	-	0.57	-
4-1906865-9	48.510 - 49.490	159.15 - 162.36	0.57	-	0.57	-
5-1906865-0	49.500 - 50.500	162.40 - 165.68	0.58	-	0.58	-
5-1906865-1	50.490 - 51.510	165.64 - 168.99	0.58	-	0.58	-
5-1906865-2	51.480 - 52.520	168.89 - 172.30	0.58	-	0.58	-
5-1906865-3	52.470 - 53.530	172.14 - 175.62	0.58	-	0.58	-
5-1906865-4	53.460 - 54.540	175.39 - 178.93	0.58	-	0.58	-
5-1906865-5	54.450 - 55.550	178.64 - 182.25	0.58	-	0.58	-
5-1906865-6	55.440 - 56.560	181.88 - 185.56	0.58	-	0.58	-
5-1906865-7	56.430 - 57.570	185.13 - 188.87	0.59	-	0.59	-
5-1906865-8	57.420 - 58.580	188.38 - 192.19	0.59	-	0.59	-
5-1906865-9	58.410 - 59.590	191.63 - 195.50	0.59	-	0.59	-
6-1906865-0	59.400 - 60.600	194.88 - 198.81	0.59	-	0.59	-
6-1906865-1	60.390 - 61.610	198.12 - 202.13	0.59	-	0.59	-
6-1906865-2	61.380 - 62.620	201.37 - 205.44	0.59	-	0.59	-
6-1906865-3	62.370 - 63.630	204.62 - 208.75	0.59	-	0.59	-
6-1906865-4	63.360 - 64.640	207.87 - 212.07	0.6	-	0.6	-
6-1906865-5	64.350 - 65.650	211.12 - 215.38	0.6	-	0.6	-
6-1906865-6	65.340 - 66.660	214.37 - 218.70	0.6	-	0.6	-
6-1906865-7	66.330 - 67.670	217.61 - 222.01	0.6	-	0.6	-
6-1906865-8	67.320 - 68.680	220.86 - 225.32	0.6	-	0.6	-
6-1906865-9	68.310 - 69.690	224.11 - 228.64	0.6	-	0.6	-
7-1906865-0	69.300 - 70.700	227.36 - 231.95	0.61	-	0.61	-
7-1906865-1	70.290 - 71.710	230.61 - 235.26	0.61	-	0.61	-
7-1906865-2	71.280 - 72.720	233.85 - 238.58	0.61	-	0.61	-
7-1906865-3	72.270 - 73.730	237.10 - 241.89	0.61	-	0.61	-
7-1906865-4	73.260 - 74.740	240.35 - 245.20	0.61	-	0.61	-
7-1906865-5	74.250 - 75.750	243.60 - 248.52	0.61	-	0.61	-
7-1906865-6	75.240 - 76.760	246.85 - 251.83	0.61	-	0.61	-
7-1906865-7	76.230 - 77.770	250.09 - 255.15	0.62	-	0.62	-
7-1906865-8	77.220 - 78.780	253.34 - 258.46	0.62	-	0.62	-
7-1906865-9	78.210 - 79.790	256.59 - 261.77	0.62	-	0.62	-
8-1906865-0	79.200 - 80.800	259.84 - 265.09	0.62	-	0.62	-

	A	Rev Per EC#	RELEASE	8/9/2006	-	JD	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS:
meters



TOLERANCES UNLESS
OTHERWISE SPECIFIED:
0 P.L.C. ± .
1 P.L.C. ± .
2 P.L.C. ± .
3 P.L.C. ± .
4 P.L.C. ± .

Customer Print

DIN	Cable Assy Configurator		MATERIAL	HEAT TREAT	
CHK	Jeremy Duncan		 Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
APVD	Jeremy Duncan				
NAME FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, LC-Duplex to LC-Duplex					
SCALE	SIZE	DRAWING NO	SHEET	REV	
NTS	A2	C- 1906865	3 of 4	A	

8 7 6 5 4 3 2 1

D
C
B
A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

THIS DRAWING IS A CONTROLLED DOCUMENT.

LOC
CE
DIST
16

Restricted to: General Release

Label 1

Per specification 107-1645-1

Trace # - Bar Code

XXXXXXXXXXXXXXXXXX

Tyco logo

Made in XXXX

X-XXXXXXXX-X

Trace # - Human Readable

Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1

Trace # - Bar Code

XXXXXXXXXXXXXXXXXX

Tyco logo

Made in XXXX

X-XXXXXXXX-X

Trace # - Human Readable

Country of Origin

This label is used on all lengths on this drawing.

	A	Rev Per EC#	RELEASE	8/9/2006	-	JD	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS:
meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 P.L.C. ± .
1 P.L.C. ± .
2 P.L.C. ± .
3 P.L.C. ± .
4 P.L.C. ± .

DIN	Cable Assy Configurator		MATERIAL	HEAT TREAT
CHK	Jeremy Duncan		-	-
APVD	Jeremy Duncan		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, 62.5/125, OFNR (Riser) jacket, LC-Duplex to LC-Duplex			
SCALE	NTS	SIZE	A2	DRAWING NO
				C- 1906865
SHEET	4 of 4	REV	A	

8 7 6 5 4 3 2 1

D
C
B
A