

Technical drawing of a PCB footprint showing dimensions and tolerances. The drawing includes the following specifications:

- Overall width: 165.00 MAX
- Overall height: 142.00 MAX
- PCB FOOTPRINT label
- Dimension 2X 26.00 MAX (vertical)
- Dimension 2X 14.50 MIN (vertical)
- Dimension 2X 5.00 MIN (horizontal)
- Dimension 2X 10.00 MIN (horizontal)
- Feature 6 (indicated by a triangle with the number 6)

4805 (3/11)

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.
COPYRIGHT - By -

RELEASED FOR PUBLICATION
ALL RIGHTS RESERVED.

LOC
ES

DIST
00

REVISONS

REV

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1

-

-

-

1.35

LED PLACED IN "X" DIRECTION

2.10

LED PLACED IN "Y" DIRECTION

LED TARGET ZONE REF

4.25

PARTIAL BOTTOM VIEW

SCALE 12:1

1.23

LED HEIGHT OFF BOARD

2.10

LED PLACED IN "X" DIRECTION

1.35

LED PLACED IN "Y" DIRECTION

4.25

LED CENTER IN "X" OR "Y" DIRECTIONS

SECTION N-N

SCALE 10:1

RETENTION BARB	BLACK	BLACK	0.00076 MIN (30u'')	2.54	7-1932000-6
	NATURAL	BLACK		2.54	7-1932000-5
	NATURAL	BLUE<2935U>	0.00038 MIN<15u''>	2.67	7-1932000-2
	NATURAL	PINK<701C>	0.00008 MIN (3u'', FLASH)	2.54	6-1932000-5
		BLUE<284C>		2.54	6-1932000-4
	BLACK	BLACK	0.00076 MIN (30u'')	4.00	5-1932000-2
	NATURAL	BLACK		3.18	5-1932000-1
				4.00	4-1932000-8
	NATURAL	GREEN<368C> BLUE<284C> ORANGE<021C>	0.00038 MIN (15u'')	3.18	4-1932000-7
				2.67	4-1932000-6
				2.67	3-1932000-3
	NATURAL	BLUE<284C> ORANGE<021C>	0.00038 MIN (15u'')	2.67	2-1932000-5
				2.67	2-1932000-1
				3.18	1-1932000-7
	BLACK	BLACK	0.00038 MIN (15u'')	2.67	1-1932000-6
			0.00008 MIN<3u''>	4.00	1-1932000-5
NATURAL	BLACK	0.00038 MIN (15u'')	3.18	1-1932000-1	
		0.00008 MIN<3u''>	2.67	1-1932000-0	
NATURAL	NATURAL	0.00038 MIN (15u'')	2.67	1932000-7	
			4.00	1932000-6	
			3.18	1932000-5	
		2.67	1932000-4		
		0.00008 MIN (3u'', FLASH)	4.00	1932000-3	
			3.18	1932000-2	
		2.67	1932000-1		
HOUSING STYLE	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	TAIL LENGTH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0 PLC ± -

1 PLC ± 0.5

2 PLC ± 0.13

3 PLC ± 0.013

4 PLC ± 0.0001

ANGLES ± -

MATERIAL -

FINISH -

DWN LEO ZHOU 28FEB2007

CHK STEVEN YAO 28FEB2007

APVD STEVEN YAO 28FEB2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

NAME

SIZE A1

CAGE CODE 00779

DRAWING NO 1932000

RESTRICTED TO

TE Connectivity

SOCKET ASSEMBLY,
VERTICAL DDR3 DIMM,
SOLDER TAIL, 240 POSITION



SCALE 4:1

SHEET 2

OF 4

REV H7

4805 (3/11)



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1932000-9](#)