







4805 (3/11)

PART NUMBER	ROWS		POWER			SIGNAL					POWER			
			P6	P5	P4	6	5	4	3	2	1	P3	P2	
6450570-2	D C B A				D	D	D	D	D	D				
					C	C	C	C	C	C				
					B	B	B	B	B	B				
					A	A	A	A	A	A				
3P + 24S + 3P														




RL	.165 PRESS FIT	STD	D	.119-PRESS FIT	D
RK	.165 PRESS FIT	MFB	C	.119-PRESS FIT	C
RS	.119 PRESS FIT	STD	B	.119-PRESS FIT	B
RP	.119 PRESS FIT	MFB	A	.119-PRESS FIT	A
CODE	TAIL LENGTH	TYPE	CODE	TAIL LENGTH	ROW
POWER CONTACT			SIGNAL CONTACT		

RK .165-PRESS FIT MFB			THIS DRAWING IS A CONTROLLED DOCUMENT.			DRAFTER: M. GRZYBOWSKI CHECKED: M. PERCHERRE DATE: 25MAY2005		 TE Connectivity		
RL .165-PRESS FIT STD			DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P/LC ±.01 3 P/LC ±.01 5 P/LC ±.005 A P/LC ±.0020		APVD: M. PERCHERRE		NAME: RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
RP .119-PRESS FIT MFB							PRODUCT SPEC: 108-1973			
RS .119-PRESS FIT STD							APPLICATION SPEC: 114-13038		SIZE: A1	
CODE TAIL LENGTH DESCRIPTION			MATERIAL: -		FINISH: -		WEIGHT: -		CAGE CODE: 100779	
POWER CONTACT							CUSTOMER DRAWING		DRAWING NO: 6450570	
							SCALE: 1:1		SHEET: 2 OF 7	
									REV: D	


[illegible]-NO CONTACT LOADED

LOC	DIST	REVISIONS			
ES	00	P	LTR	DESCRIPTION	DATE
		-		SEE SHEET 1	-


PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P2		4	3	2	1	P1		
6450570-9	D C B A		RS		D	D	D	D		RP	
					C	C	C	C			
					B	B	B	B			
					A	A	A	A			
IP + 16S + IP											



PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P2		4	3	2	1	P1		
1-6450570-3	D C B A		RP		D	D	D	D		RS	
					C	C	C	C			
					B	B	B	B			
					A	A	A	A			
IP + 16S + IP											



PART NUMBER	ROWS		POWER				SIGNAL						POWER				
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1-6450570-2	D C B A		RP	RP	RP	RP	D	D	D	D	D	D	RP	RP	RP	RP	
							C	C	C	C	C	C					
							B	B	B	B	B	B					
							A	A	A	A	A	A					
4P + 24S + 4P																	



THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN R. GRZYBOWSKI 25MAY2005
CHK M. PERCHERKE 25MAY2005
APVD M. PERCHERKE

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±7°
FINISH

MATERIAL

WEIGHT

CUSTOMER DRAWING

NAME

PRODUCT SPEC

APPLICATION SPEC

CAGE CODE

DRAWING NO

SCALE 4:1

SHEET 4 OF 7

REV D6

TE Connectivity

RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE A1

CAGE CODE

DRAWING NO


SCALE 4:1

SHEET 4 OF 7

REV D6


PART NUMBER	ROWS		POWER	SIGNAL							POWER	
			P 2	6	5	4	3	2	1	P 1		
1-6450570-5	D C B A		 RP								 RS	
				D	D	D	D	D	D			
				C	C	C	C	C	C			
				B	B	B	B	B	B			
				A	A	A	A	A	A			
1P + 24S + 1P												

DI



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: Z5MAY2005 GRZYBOWSKI CHK: Z5MAY2005 M. PERCHERKE		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: FINISH:		NAME:	
		PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT:		RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
MATERIAL:		FINISH:		SIZE: CAGE CODE: DRAWING NO: A100779 C=6450570	
RESTRICTED TO:		CUSTOMER DRAWING:		SCALE: 4:1 SHEET 5 OF 7 REV D6	


PART NUMBER	ROWS		POWER					SIGNAL				POWER				
			P9	P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1	
I-6450570-8	D C B A															
4P + 16S + 5P																

4805 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-

D6

PART NUMBER	ROWS		POWER						SIGNAL		POWER				
			P10	P9	P8	P7	P6	P5	2	1	P4	P3	P2	P1	
1-6450570-9	D C B A								DD	DD					
									CC	CC					
									BB	BB					
									AA	AA					
4P + 8S + 6P															



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI 25MAY2005		
		CHK M.PERCHERKE 25MAY2005		
DIMENSIONS:		APVD M.PERCHERKE -	NAME	
INCHES		PRODUCT SPEC	RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		108-1973		
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
		114-13038		
MATERIAL		WEIGHT	A100779C=6450570	
		CUSTOMER DRAWING	SCALE 4:1 SHEET 7 OF 7 REV D6	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-6450570-5](#)