



REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN	APVD
	B8	REVISED PER ECO-15-003872	25MAR2015	DD	DS
	B9	REVISED PER ECO-16-003526	09MAR2016	JM	DS

D


C

B

A



- 1 ACCEPTS #3 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m
- 2 DATE CODE TO BE BRANDED IN THIS LOCATION PER TE SPEC 102-60. FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK, LAST DIGIT = DAY.
- 3 MATERIALS: GASKET - SILICONE
HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS
- 4 HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
5. HEADER MATES TO PLUG ASSEMBLY 776286 WHICH USES REELED TERMINAL 770520 OR LOOSE PIECE TERMINAL 770854



776276-1 & 1-776276-1 SHOWN

NATURAL	DURAGOLD	1-776276-2
BLACK	DURAGOLD	1-776276-1
NATURAL	TIN	776276-2
BLACK	TIN	776276-1
HEADER COLOR	PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. STRAUSSER 21JAN2010	TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER 22MAR2010		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. STRAUSSER 27APR2010	NAME	
mm		PRODUCT SPEC	ASSEMBLY, HEADER 8 POSITION VERTICAL, AMPSEAL WITH FLANGE SEAL	
0 PLC ±.2		108-1329		
1 PLC ±0.13		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
2 PLC ±.		114-16016	A100779C=776276	
3 PLC ±.		WEIGHT	RESTRICTED TO	
4 PLC ±.		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 2 REV B9	
ANGLES ±1°				
FINISH				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-776276-1](#)