






PRODUCT NO.


10035388-XXX_ _
NOTE: 5





NOTE :

1. MATERIAL:
HOUSING: HIGH TEMPERATURE THERMOPLASTIC,
UL 94 V-O RATED, BLACK.
TERMINAL: HIGH CONDUCTIVITY COPPER ALLOY.
2. PRODUCT SPECIFICATION: GS-12-259.
3. PACKAGE SPECIFICATION: GS-14-937
4. THERE IS NO POLARIZATION KEY IN 10035388-102/103/104/105/106/107/108/110/114/202/203/
204/205/500/700/800/802/902/903/904/905/909/910/911/912.
5. PLATING SPEC:
10035388-XXX:
POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.
SOLDER TAIL - 100u" TIN/LEAD OVER 50u" NICKEL UNDER PLATED.
AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.
10035388-XXXLF:
POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.
SOLDER TAIL - 100u" PURE MATTE TIN OVER 50u" NICKEL UNDER PLATED.
AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.


6. P/N 10035388-XXLF MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.
8. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS AFCI SPECIFICATION: GS-24-007.
9. A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref *				dr	De-Ming Lu	2014/08/06	projection 	MM 	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Sunny2 Liu	2016/08/29			ecn no	ELX-DG-24841-1		
				chr	Terris Liu	2016/09/05						
				appr	Pei-Ming Zheng	2016/09/05			product family		-	rel level
surface ISO 1302 ✓	linear	0.X	±0.5	Amphenol FCi	title	POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY				dwg no 10035388	rev	A
		0.XX	±0.25									
		0.XXX	±0.10									
	angular	0°	±2°									

PRODUCT NO.

10035388-600__
NOTE: 5NOTE:
(APPLY TO 10035388-600__ AS ADDITIONAL)10. THE EMPTY POSITIONS ARE 18, 19, 20, 23.
11. THERE ARE 2 AC TERMINALS.

spec ref		*		dr		De-Ming Lu		2014/08/06		projection		MM		size		A4		scale		1:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Sunny2 Liu		2016/08/29						ecn no		ELX-DG-24841-1					
chr						Terris Liu		2016/09/05		rel level						Released							
appr						Pei-Ming Zheng		2016/09/05		product family						-							
surface						linear		0.X		±0.5		Amphenol FCI		title		POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY		dwg no		10035388		rev	
		0.XX		±0.25																			
		0.XXX		±0.10																			
ISO 1302		angular		0°		±2°				cat. no.		-		Product - Customer Drw				sheet 2 of 6					



Crab File - REV E - 2016-02-12

1				2			3			4																																																																															
PRAT NO.	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	DIM"F"	H1	H2	H3	PIN CONFIGURATION			M	N																																																																											
10035388-400 10035388-400LF	61.42	58.42	53.34	29.21	58.12	29.06	8.50	3.50	4.25	ALL LOADED			22	22																																																																											
10035388-500 10035388-500LF	76.66	73.66	68.58	N/A	73.36	N/A	8.50	3.50	4.25	ALL LOADED			28	28																																																																											
10035388-600 10035388-600LF	69.04	66.04	40.64	36.83	65.74	36.68	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	25	25																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-700 10035388-700LF	86.82	83.82	78.74	N/A	83.52	N/A	8.50	3.50	4.25	ALL LOADED			32	32																																																																											
10035388-800 10035388-800LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	ALL LOADED			17	17																																																																											
10035388-802 10035388-802LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A17 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B17			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	17	17																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-900 10035388-900LF	41.10	38.10	33.02	26.67	37.80	26.52	8.50	3.50	4.25	ALL LOADED			14	14																																																																											
10035388-903 10035388-903LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A35 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B35			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	35	35																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-904 10035388-904LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A35 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B35			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	35	35																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-905 10035388-905LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	ALL LOADED			35	35																																																																											
10035388-907 10035388-907LF	53.80	50.80	45.72	26.27	50.50	26.52	8.50	3.50	4.25	ALL LOADED			19	19																																																																											
10035388-908 10035388-908LF	61.42	58.42	53.34	29.21	58.12	29.36	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A22 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B22			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	22	22																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-909 10035388-909LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A17 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B17			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	17	17																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-910 10035388-910LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A35 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B35			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	35	35																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
10035388-911 10035388-911LF	53.80	50.80	45.72	N/A	50.50	N/A	8.50	3.50	4.25	ALL LOADED			19	19																																																																											
10035388-912 10035388-912LF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A14 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B14			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	14	14																																							
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																																																								
spec ref * tolerance std TOLERANCES UNLESS OTHERWISE SPECIFIED surface - ISO 1302															dr De-Ming Lu 2014/08/06 eng Sunny2 Liu 2016/08/29 chr Terris Liu 2016/09/05 appr Pei-Ming Zheng 2016/09/05 Amphenol FCI POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY cat. no. -															projection MM product family -															size A4 scale 1:1 ecn no ELX-DG-24841-1 rel level Released															dwg no 10035388 rev AJ															sheet 5 of 6														

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10035388-000LF](#) [10035388-001LF](#) [10035388-100LF](#) [10035388-101LF](#) [10035388-200LF](#) [10035388-400LF](#)
[10035388-700LF](#) [10035388-900LF](#) [10035388-203LF](#) [10035388-800LF](#) [10035388-104LF](#) [10035388-102LF](#)
[10035388-000](#) [10035388-100](#) [10035388-200](#) [10035388-400](#) [10035388-700](#) [10035388-001](#) [10035388-101](#)
[10035388-300](#)