



PRODUCT NO.

10035388-XXX_-
NOTE:5

NOTE:

1. MATERIAL:

HOUSING: HIGH TEMPERATURE THERMOPLASTIC,
UL 94 V-0 RATED, BLACK.

TERMINAL: HIGH CONDUCTIVITY COPPER ALLOY.

2. PRODUCT SPECIFICATION: GS-12-259.

3. PACKAGE SPECIFICATION: GS-14-937

4. THERE IS NO POLARIZATION KEY IN 10035388-102/103/104/105/106/107/108/110/202/203/205/500
-700/800/802/902/903/904/905/909/910/911/912.

5. PLATING SPEC:

10035388-XXX:

POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.

SOLDER TAIL - 100u" TIN/LEAD OVER 50u" NICKEL UNDER PLATED.

AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.

10035388-XXXLF:

POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.

SOLDER TAIL - 100u" PURE MATTE TIN OVER 50u" NICKEL UNDER PLATED.

AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.


6. P/N 10035388-XXXLF MEETS EUROPEAN UNION DIRECTIVE
AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.

8. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS AFci SPECIFICATION: GS-24-007.

9. A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED
WITH THE CURRENT DRAWING REVISION.

spec ref	*	dr	De-Ming Lu	2014/08/06	projection	MM	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sunny2 Liu	2016/04/12			ecn no	ELX-DG-22934-1		
		chr	Terris Liu	2016/05/20			rel level	Released		
		appr	Pei-Ming Zheng	2016/05/24	product family	-				
surface	linear	0.X	±0.5	Amphenol FCI	title	POWER EDGE CARD CONNECTOR	dwg no	10035388	rev	AG
		0.XX	±0.25			WITHOUT SIGNAL ASSY				
		0.XXX	±0.10							
ISO 1302	angular	0°	±2°		cat. no.	-	Product - Customer Drw	sheet 1 of 6		

PRODUCT NO.


10035388-600__
NOTE: 5

NOTE:

(APPLY TO 10035388-600__ AS ADDITIONAL)


10. THE EMPTY POSITIONS ARE 18, 19, 20, 23.

11. THERE ARE 2 AC TERMINALS.



spec ref		*		dr		De-Ming Lu		2014/08/06		projection		MM		size		A4		scale		1:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Sunny2 Liu		2016/04/12						ecn no		ELX-DG-22934-1					
chr						Terris Liu		2016/05/20		rel level						Released							
appr						Pei-Ming Zheng		2016/05/24		product family						-							
surface						linear		0.X		±0.5						Amphenol FCI		title		POWER EDGE CARD CONNECTOR		dwg no	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ISO 1302		angular		0°		±2°						cat. no.		-		Product - Customer Drw				sheet 2 of 6			

Crea File - REV E - 2016-02-12



Printed: May 24, 2016

[illegible]

1			2				3			4																																
PRAT NO.	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	DIM"F"	H1	H2	H3	PIN CONFIGURATION		M	N																													
10035388-107 10035388-107LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P		P	P		P	P	P	P	P	P	P	P	P	P	P	P		P		P	P	P	P	P	P	P	P	P	P	25	25
P		P	P		P	P	P	P	P	P	P	P	P	P																												
P	P		P		P	P	P	P	P	P	P	P	P	P																												
10035388-913 10035388-913LF	25.86	22.86	17.78	N/A	22.56	N/A	8.50	3.50	4.25	ALL LOADED		8	8																													
10035388-902 10035388-902LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A35 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B35	P	P		P	P		P	P	P	P	P	P	P	P	P	P	P		P	P		P	P	P	P	P	P	P	P	P	35	35
P	P		P	P		P	P	P	P	P	P	P	P	P																												
P	P		P	P		P	P	P	P	P	P	P	P	P																												
10035388-108 10035388-108LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	25	25
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																												
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																												
10035388-206 10035388-206LF	84.28	81.28	76.20	N/A	80.98	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A31 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B31	P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P		P	P	P	P	P	P	P	P	P	P	31	31
P	P	P	P		P	P	P	P	P	P	P	P	P	P																												
P	P	P	P		P	P	P	P	P	P	P	P	P	P																												
10035388-110 10035388-110LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P	P	P	P	P	P	P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P		P	P	P	P	25	25
P	P	P	P	P	P	P	P	P	P		P	P	P	P																												
P	P	P	P	P	P	P	P	P	P		P	P	P	P																												

spec ref *		dr De-Ming Lu		2014/08/06		projection 	MM 	size A4	scale 1:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Sunny2 Liu				2016/04/12		ecn no ELX-DG-22934-1	
				chr Terris Liu				2016/05/20		rel level Released	
				appr Pei-Ming Zheng		2016/05/24		product family -			
surface 	linear	0.X	±0.5	Amphenol FCi	title POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY	dwg no	10035388		rev AG		
		0.XX	±0.25								
		0.XXX	±0.10								
	ISO 1302	angular	0°	±2°	cat. no.	-	Product - Customer Drw		sheet 6 of 6		