







PRODUCT NUMBER  
SEE TABLE



rev	ecn no	dr	date
A	V09-0420	RE	2009-08-20
B	V09-0550	MRG	2009-11-20
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ASME Y14.5 ✓		tolerance std ASME Y14.5		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	S. MANOHARAN	2009-03-25	ANGULAR	LINEAR	0.X	±0.10	size A3	Scale 2:1		
Eng	J. SHUEY	2009-03-25			0.XX	±0.05				
Chr	J. SHUEY	2009-03-25			0° ±1°	0.XXX			±	
Appr	J. SHUEY	2009-03-25	Product family		MINI-SAS		Spec ref			
			title SINGLE PORT CAGE MINI-SAS CONNECTOR				dwg no 10098871		Rev. B	
			catalog no				CUSTOMER		sheet 1 of 3	

REV F - 2009-04-17

PDM: Rev:B STATUS: Released Printed: Jun 18, 2010

PRODUCT NUMBER	DIM A	DIM B	GASKET INCLUDED	STYLE	RAIL KEY POSITION
10098871-1102LF	25.09	7.42	YES	WITH POST, 0 DEGREE	#4
10098871-1302LF	24.96	6.88	YES	WITH POST, 1 DEGREE	#4

NOTES:

- ① SHELL MATERIAL: ZINC ALLOY  
PLATING: 3.81µm NICKEL MIN.

EMI GASKET MATERIAL: FLEXIBLE CONDUCTIVE MATERIAL




2. PRODUCT SPECIFICATION: GS-12-548

3. APPLICATION SPECIFICATION: GS-20-124

- ④ PRODUCT NUMBER 10098871-1302LF WILL BE MARKED WITH "1 DEG". PRODUCT NUMBER 10098871-1102LF WILL NOT HAVE A MARKING.

5. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

- ⑥ A  $\triangle B$  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE, WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.






	TITLE	SINGLE PORT CAGE	dwg no	10098871	Rev.	B
	MINI-SAS CONNECTOR					
	CATALOG NO		CUSTOMER		SHEET 2 OF 3	

REV F - 2006-04-11

PDM: Rev:B STATUS Released Printed: Jun 18, 2010

PRODUCT NUMBER  
SEE TABLE



	title		dwg no		Rev.
	SINGLE PORT CAGE		10098871		B
	MINI-SAS CONNECTOR				
catalog no			CUSTOMER	sheet 3 of 3	

REV F - 2000-04-11

PDM: Rev:B STATUS Released Printed: Jun 18, 2010