



SECTION X1 - X1



7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A REFLOW SOLDER APPLICATION.


Rev	ecn no	dr	date	Dr SH MIAO	2011-03-29	ANGULAR		0.X	±0.3	size	A2	Scale	2:1
				Eng SH MIAO	2011-03-29		LINEAR	0.XX	±0.15				
A	DG11-0085	SH	2011-03-22	Chr RICK BIAN	2011-03-29	0° ±5°		0.XXX	±0.08	Ecn Refn	DG11-0085		
				Appr HSIA JOSEPH	2011-03-29	Product	family	50UF	SO-DIMM	Spec	REL	RELEASE	
													
				Title	DDR II 0.6mm PITCH 200 POS.				deg no	10117865			
					REVERSE TYPE ASS'Y								
				catalogue no									
									-	CUSTOMER COPY			
										sheet 1 of 4			



RECOMMENDED MOUNTING P.C.B LAYOUT





Copyright FCI.
FCI

	Title		10117865	Rev.
	DDR II 0.6mm PITCH 200 POS.			A
	REVERSE TYPE ASS'Y			
catalog no		CUSTOMER COPY	sheet 2 of 4	



PRODUCT NO.

10117865-*52**



RECOMMENDED MODULE P.C.B LAYOUT

DETAIL Y
SCALE 10:1

Copyright FCI.
FCI



DDR II 0.6mm PITCH 200 POS.
REVERSE TYPE ASS'Y

10117865
CUSTOMER COPY sheet 3 of 4

Rev.
A

PDM: Rev:A

STATUS: Released

Printed: Apr 22, 2011

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10117865-152FSLF](#) [10117865-052FSLF](#) [10117865-252FSRLF](#) [10117865-252ASRLF](#) [10117865-052ASLF](#)
[10117865-252FSLF](#) [10117865-052ASRLF](#) [10117865-052TSLF](#) [10117865-352TSLF](#) [10117865-252TSLF](#) [10117865-](#)
[252ASLF](#) [10117865-052FSRLF](#) [10117865-052TSRLF](#)