

rotronic

Datenblatt - Fiche technique - Data sheet


11.04.554X



ROLINE HDMI High Speed Kabel mit Ethernet

ROLINE Câble HDMI High Speed avec Ethernet

**ROLINE HDMI High Speed Cable with Ethernet,
HDMI M – HDMI M**



NOTES:


- 1. CABLE: JLC20276 (30AWG*1P+EAM)*5+30AWG*4C +AEB(CU WIRE, AM BRAID) OD=6.0MM JACKET: PVC BLACK; High Speed HDMI™ Cable with Ethernet
- 2. CONN: HDMI A/M INSULATION: BLACK, SHELL NICKEL-PLATED;
- 3. OUTER MOLD: PVC 45P BLACK;

ELECTRICAL TEST:

- 1. 100% TEST OPEN SHORT MIS-WIRE;
- 2. INSULATION RESISTANCE: 2M OHM MIN;

ITEM NO	L(MM)	T(MM)	HEAD SIZE	LABEL	INNER CTN	OUT CTN
11.04.5541	1000	+50/-0	205*166MM	LABEL1	10PCS/INNER CTN, (SIZE:17*12.5*23.5CM)	40PCS/OUT CTN (0.8*36*26.5*25CM)
11.04.5542	2000	+50/-0	205*166MM	LABEL2	10PCS/INNER CTN, (SIZE:21*15.8*20.5CM)	40PCS/OUT CTN (1.2*44*33*22CM)
11.04.5543	3000	+50/-0	205*166MM	LABEL3	10PCS/INNER CTN, (SIZE:21*15.8*20.5CM)	40PCS/OUT CTN (1.2*44*33*22CM)

WIRE ADDRESS



Company	Rotronic	Goods Code		Draw	FC038 ZYF	Date	2012-03-30	Rotronic, Co., Ltd		D	
ITEM NO	11.04.554X		Drawing Evidence:		Check	Date				C	
Goods NO					Approval	Date				B	
origna1NO.	Unit (MM)					Date		REVISE		VER. A	Date

