

	1	2	3	4	5	6	7	8	
	POSITIONS	02 PIN	03 PIN	04 PIN	05 PIN	06 PIN	07 PIN	08 PIN	09 PIN
A	VIEW FROM TERMINATION SIDE SOCKET PART								

NOTE:

1. MATERIAL AND FINISH

1.1. SHELL ASSEMBLY: COPPER ALLOY, OUTER SHELL AND COLLET
NUT Cr PLATING, OTHER METALLIC COMPONENTS NI PLATING

1.2. INSULATOR: PEEK

1.3. CONTACT: COPPER ALLOY, GOLD PLATING

2. RoHS COMPLIANCE

3. PCB DRILLING PATTERN ALL VIEWS ARE FROM THE SIDE OF THE SOCKET

4. PART NO.


R - F 0 B N * * 0 * 0 0 * 0 0

CONTACT POS.	02-09=2pin-09pin
SHELL MATERIAL	0=Brass

CODE	KEY ANGLES
0	0
A	30°
B	60°
"	"

CODE	CONTACT TYPE
2	Male Solder Contact
4	Female Solder Contact
C	Crimp Male Contact
M	Crimp Female Contact
1	Male Print Contact
3	Female Print Contact

No. OF CONTACTS	øA	L
02,03	0.7	3.2
04,05...08,09	0.5	3.2




PANEL CUT-OUT


UNITS ■mm □INCH		NAME: SNAP LATCH METAL 08 FIXED SOCKET	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		TITLE: CUSTOMER DWG.	
4 PLACE	± **. INCH	APPD: Seawen 5/13'15	DWG NO: 010-0000-B23
3 PLACE	± 0.10	CHKD: Peter 5/13'15	C
2 PLACE	± 0.30	DRAWN: Alex 5/13'15	SCALE: SHEET: REV.:
1 PLACE	± 0.50		2.5/1 1/4 A
ANGULAR:	X*± 2° X*± **. INCH		

A	ECN-150053	05/13'15	Seawen
REV.	DESCRIPTION	DATE	APPD


OB FIXED SOCKET
SOLDER CONTACT TYPE VIEW



OB FIXED SOCKET
PRINT CONTACT TYPE VIEW



OB FIXED SOCKET
CRIMP CONTACT TYPE VIEW














CRIMP CONTACT

UNITS		NAME:			
mm	INCH	SNAP LATCH METAL			
GENERAL TOLERANCES: (UNLESS SPECIFIED)				TITLE:	
	mm	INCH		CUSTOMER DWG.	
4 PLACE	± **.00	± **.00	APPD: Seawen 5/13/15	DWG NO:	
3 PLACE	± 0.10	± **.00	CHKD: Peter 5/13/15	010-0000-B23	
2 PLACE	± 0.30	± **.00	DRAWN: Alex 5/13/15	C	
1 PLACE	± 0.50	± **.00		SCALE: SHEET: REV.:	
ANGULAR:	X° ± 2°	X° ± **.00		2.5/1 2/4 A	

A	ECN-150053	05/13/15	Seawen
REV.	DESCRIPTION	DATE	APPD

KEY ANGLES (RECEPTACLE FRONT VIEW):



UNITS
 ■mm □INCH
 GENERAL TOLERANCES:
 (UNLESS SPECIFIED)

	mm	INCH
4 PLACE	±.02	±.0008
3 PLACE	±.010	±.0004
2 PLACE	±.030	±.0012
1 PLACE	±.050	±.0020
ANGULAR:	X°±2°	X°±.004

NAME:
 SNAP LATCH METAL
 OR FIXED SOCKET

APPD: Seawen 5/13/15
 CHKD: Peter 5/13/15
 DRAWN: Alex 5/13/15


TITLE:
 CUSTOMER DWG.

DWG NO:
 010-0000-B23
 SCALE: 2.5/1
 SHEET: 3/4
 REV.: A


A	ECN-150053	5/13/15	Seawen
REV.	DESCRIPTION	DATE	APPD

PCB DRILLING PATTERN


02PIN




03PIN




04PIN




05PIN




06PIN




07PIN



08PIN



09PIN



UNITS ■mm □INCH		NAME: SNAP LATCH METAL 08 FIXED SOCKET	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		TITLE: CUSTOMER DWG.	
	mm	INCH	
4 PLACE	±.05	±.002	APPD: Seawen 5/13/15
3 PLACE	±.10	±.004	CHKD: Peter 5/13/15
2 PLACE	±.30	±.012	DRAWN: Alex 5/13/15
1 PLACE	±.50	±.020	
ANGULAR:	X°±2°	X°±.004	
REV.	DESCRIPTION	DATE	APPD

A	ECN-150053	05/13/15	Seawen
REV.	DESCRIPTION	DATE	APPD

DWG NO:	010-0000-B23	C
SCALE:	2.5/1	
SHEET:	4/4	
REV.:	A	