




CONNECTORS

COAX CONTACTS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

TYPE C,PIN ASSY.RTANG, RF

Coax , Standard

148386-1

TE Internal Number: 148386-1

Not EU RoHS or ELV Compliant

[Find Compliant Alternatives](#)

Applies To **Printed Circuit Board**

PCB Mounting Orientation **Right Angle**

Contact Type **Pin**

Body Style **Right Angle**

For Use With **Type C Connector**



Product Drawings

PCB PIN RTANG COMPLIANT

PDF (**TIFF AVAILABLE**)
English

PCB PIN RTANG COMPLIANT

PDF (**TIFF AVAILABLE**)
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

3D PDF

PDF
English

Product Specifications

[Application Specification](#)

[Type C Coaxial Cable Contacts](#)

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Applies To	Printed Circuit Board
	PCB Mounting Orientation	Right Angle
	Post Type	Compliant Post
	Dielectric Material	Polymethylpentene
	Product Type	Contact
	DIN Level	II
	Connector Type	Standard DIN
Electrical Characteristics	Impedance (Ω)	50
Body Features	Body Style	Right Angle
	Outer Shell Material	Brass
	Outer Shell Plating Material	Gold
	Post Plating Material	Tin-Lead
Contact Features	Contact Type	Pin
	Center Contact Plating Material	Gold
	Mating Contact Retention	With
	Center Contact Material	Beryllium Copper
	Solder Tail Contact Plating Material	Tin
Dimensions	PCB Height	7 mm [.276 in]
Operation/Application	For Use With	Type C Connector
Packaging Features	Packaging Method	Loose Piece
Product Compliance	<p>Statement of Compliance PDF</p> <p>VIEW ALL PRODUCT COMPLIANCE</p>	

