






LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
B	-	D	ECR-11-017472	02/08/11	JB	MG
		E	ECR-11-018539	12/09/11	JB	MG



NOTE  
 BOWING: AFTER UPPER TIE BAR REMOVAL- 1.5mm MAX. FOR 500mm  
 PITCH: AFTER UPPER TIE BAR REMOVAL- 2.54±0.127



SCALE 3:1




DIRECTION OF TOP OF REEL

DIRECTION "0"  
 CONTACTS DOWN  
 DIRECTION "1"  
 CONTACTS UPWARDS  
 DIRECTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm



MATERIAL SEE ABOVE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±0.05
3 PLC	±-
4 PLC	±-
ANGLES	±0.5
FINISH	-

DWN J. BRIGHT 02/08/11

CHK M. GREENER 02/08/11

APVD D. PENNINGTON 02/08/11

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

0	Ni & Sn	1544256-2
0	Sn	1544256-1
REELING	FINISH	PART NUMBER



NAME SIL CONTACT

SIZE A3 CAGE CODE 00779 DRAWING NO C-1544256 RESTRICTED TO

SCALE NTS SHEET 1 OF 1 REV E

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1544256-1](#)