

Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable clamp for cable diameter of 5 - 7 mm

RoHS

Key Commercial Data

Packing unit	1 STK
Minimum order quantity	200 STK
GTIN	 4 046356 527958
GTIN	4046356527958
Weight per Piece (excluding packing)	12.000 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------


Mechanical characteristics

External cable diameter	5 mm ... 7 mm
-------------------------	---------------

Drawings

Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27279002
eCl@ss 4.1	27279002
eCl@ss 5.0	27140908
eCl@ss 5.1	27140908
eCl@ss 6.0	27261290
eCl@ss 7.0	27440290
eCl@ss 8.0	27379201
eCl@ss 9.0	27379201

ETIM

ETIM 3.0	EC000127
ETIM 4.0	EC000127
ETIM 5.0	EC002498
ETIM 6.0	EC002498

UNSPSC

UNSPSC 6.01	43172601
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121408
UNSPSC 13.2	39121421

Approvals

Approvals

Approvals

EAC



Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Approvals

Ex Approvals

Approval details

EAC		7500651.22.01.00246
-----	---	---------------------