


POWER CONTACTS





✓ Active

PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE) 062 SOC.ASS. TYP3+

AMP | Type III+

163088-1

TE Internal Number: 163088-1

Always EU RoHS/ELV Compliant

Product Type Contact

Wire/Cable Size (AWG) 24 - 20

Wire/Cable Size (mm²) .2 - .5

Circuit Application Signal

Contact Type Socket

Product Drawings

TYPE III+, SIZE 16, SOCKET ASS'Y, 24-20 AWG, 1.1-1.8mm DIA INSULATION

PDF **English**

Loose Piece Pin Type Lll+ Contact Size 16

PDF (TIFF AVAILABLE) English

Loose Piece Pin Type Lll+ Contact Size 16

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF **3D**


Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Contact
Electrical Characteristics	Test Current (A)	13

~ · · - ·

Contact Features	Contact Type	Socket
	Contact Base Material	Brass
	Contact Mating Area Plating Material	Tin
	Contact Termination Area Plating Material	Tin
	Contact Size	16
Termination Features	Wire/Cable Size (AWG)	24 - 20
	Wire/Cable Size (mm²)	.2 – .5
	Termination Type	Crimp
Dimensions	Accepts Wire Insulation Diameter Range	1.1 – 1.8 mm [.0433 – .07 in]
Operation/Application	Circuit Application	Signal
Identification Marking	Color Code	Yellow
Industry Standards	UL File Number	E28476
	Agency/Standard	UL
Packaging Features	Packaging Method	Bag
	Packaging Quantity	200
Other	Wire Type	Regular Wire
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE