



POWER CONTACTS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

PIN M-N-L

MATE-N-LOK | Commercial MATE-N-LOK

163558-4

TE Internal Number: 163558-4

Always EU RoHS/ELV Compliant

Product Type **Contact**

Contact Current Rating (A) **15**

Operating Voltage (VAC) **250**

Wire/Cable Size (AWG) **22 – 18**

Wire/Cable Size (mm²) **.3 – .75**

Product Drawings

Pin Mate-N-Lok

PDF (TIFF AVAILABLE)
English

Pin Mate-N-Lok

PDF (TIFF AVAILABLE)
English

CAD Files

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type

Contact

Electrical Characteristics

Contact Current Rating (A)

15

Operating Voltage (VAC)

250

Contact Features

Contact Type

Pin

	Contact Base Material	Phosphor Bronze
	Contact Mating Area Plating Material	Pre-Tin
Termination Features	Wire/Cable Size (AWG)	22 – 18
	Wire/Cable Size (mm ²)	.3 – .75
	Termination Type	Crimp
Mechanical Attachment	Contact Retention in Housing	With
	Contact Retention in Housing Type	Locking Lance
Dimensions	Mating Pin Diameter	2.13 mm [.084 in]
	Accepts Wire Insulation Diameter Range	1.4 – 2.4 mm [.055 – .094 in]
Operation/Application	Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
	Connector System	Wire-to-Wire
Industry Standards	VDE Tested	No
Packaging Features	Packaging Method	Bag
	Packaging Quantity	1000
Other	For Multiple Crimp	No
	For Use With	Pin (Cap) Housing
	Wire/Cable Type	Discrete Wire
	Wire Type	Stranded
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

Products - 69 Results

[View All](#)

Compare 0/10



Relation Type ▼

RELATIONSHIP
Housings

Identifies Housings compatible with a given Contact

[See All Housings](#)



PRODUCT - HOUSINGS

Connectors - Rectangular Power Connectors
MATE-N-LOK | Commercial MATE-N-LOK
04P CMNL PLUG HSG
F/H BLK - 1-480424-9
TE INTERNAL NUMBER: 1-480424-9

Always EU RoHS/ELV Compliant

✓ Active



RELATIONSHIP

Housings

Identifies Housings compatible with a given Contact

[See All Housings](#)



PRODUCT - HOUSINGS

Connectors - Rectangular Power Connectors
MATE-N-LOK | Commercial MATE-N-LOK
03P CMNL PLUG HSG
W/LOK NATL
- 1-480721-0
TE INTERNAL NUMBER: 1-480721-0

Always EU RoHS/ELV Compliant

Product Type **Housing**

Connector System **Wire-to-Wire**

Applies To **Wire/Cable**

Number of Positions **3**

UL Flammability Rating **UL 94V-2**

✓ Active



RELATIONSHIP

Housings

Identifies Housings compatible with a given Contact

[See All Housings](#)



PRODUCT - HOUSINGS

Connectors - Rectangular Power Connectors
MATE-N-LOK | Commercial MATE-N-LOK
03P CMNL CAP HSG F/H
BLK - 1-480305-9
TE INTERNAL NUMBER: 1-480305-9

Always EU RoHS/ELV Compliant

✓ Active

