



CRIMP WIRE PINS & TABS



TE CONNECTIVITY (TE)

SHUR PLUG-REC FOR 3.96MM .156

[Pins, Plugs and Receptacles](#) | [Pins, Plugs and Receptacles](#)

170003-4

TE Internal Number: 170003-4

Always EU RoHS/ELV Compliant

Terminal Style **Receptacle**

Wire Insulation Diameter **2.49 – 3.81 mm [.098 – .15 in]**

Wire Size (AWG) **20 – 14**

Wire Size (mm²) **.5 – 2**

Plating Material **Post-Tin**

Active

[PRODUCT DRAWING](#)
Japanese

[3D PDF](#)

Product Drawings

5 DIA SHUR PLUG RECEPTACLE

PDF
Japanese

CAD Files

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
3D

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Product Specifications

Product Specification

No Title

PDF
English

No Title

TIF
English

Application Specification

CRIMPING OF SHUR PLUG CONTACTS

TIF
English

CRIMPING OF SHUR PLUG CONTACTS

PDF
English

CRIMPING OF SHUR PLUG CONTACTS

TIF
Japanese

CRIMPING OF SHUR PLUG CONTACTS

PDF
Japanese

Instruction Sheets

Instruction Sheet (non U.S.)

[AMP DOUBLE ACTION HAND TOOL 720725-1](#)

PDF
Japanese

[AMP DOUBLE ACTION HAND TOOL 720725-1](#)

PDF
Japanese

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.


Product Type Features	Wire/Cable Type	Regular Wire
	Support Style	Insulation Support
Body Features	Plating Material	Post-Tin
Contact Features	Terminal Style	Receptacle
Termination Features	Bullet Terminal	Without
Dimensions	Wire Insulation Diameter	2.49 – 3.81 mm [.098 – .15 in]
	Wire Size (AWG)	20 – 14
	Wire Size (mm ²)	.5 – 2
Packaging Features	Packaging Method	Strip
	Packaging Quantity	7000

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

<p>AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD HOUSINGS</p>  <p>DLI DOUBLE LOCK PLUG HSG 20P 172850-2</p> <p>Save to List</p>	<p>POWER CONTACTS</p>  <p>MATE-N-LOK SOCKET 2 170120-1</p> <p>Save to List</p>	<p>AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD HOUSINGS</p>  <p>AMP SUPERSEAL 1.5 SERIES 3P PL 282087-1</p> <p>Save to List</p>	<p>AUTOMOTIVE SEALS & CAVITY PLUGS</p>  <p>RUBBER PLUG GRAY FOR 187 SEALD 85024-1</p> <p>Save to List</p>
--	--	--	---

Products - 5 Results

View All

Compare 0/10

Relation Type

RELATIONSHIP

Toolings

Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

**OC-PA-E-FA-110F180F-
001-0262 - 2-2150088-2**

TE INTERNAL NUMBER: 2-2150088-2

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN - Pacific**

Applicator Feed Style **End Feed**



RELATIONSHIP

Toolings

Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

**OC-110F180F-
CRIMPTOOLINGKIT
- 7-2150088-7**

TE INTERNAL NUMBER: 7-2150088-7

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare
Parts Kit**



RELATIONSHIP

Toolings

Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

**OC-AT-E-FM-110F180F-
001-0262 - 2150088-1**

TE INTERNAL NUMBER: 2150088-1

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -
Atlantic**



