





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN 2006.

© COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
J		P	LTR	DESCRIPTION	DATE	DWN	APVD
		A		RELEASED	14FEB06	T.K	T.S



NOTE  
 1. MATERIAL : STAINLESS STEEL  
 2. FINISH : TIN PLATING ALL OVER NICKEL  
 3. [D] IS THE TOP SURFACE OF PCB.


H7	1827682-1
HEIGHT	PART NUMBER
TOLERANCES UNLESS OTHERWISE SPECIFIED 一般公差 10? : ± 0.2 30? >10 : ± 0.25 100? >10 : ± 0.3 ANGLES ± 3°	

THIS DRAWING IS A CONTROLLED DOCUMENT.	
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±
MATERIAL	

DWN T.KAWAMAE 17JAN06	 Tyco Electronics AMP K.K. Kawasaki, Japan			
CHK T.SASAKI 17JAN06				
APVD T.SASAKI 17JAN06				
PRODUCT SPEC 108-78302 APPLICATION SPEC				
NAME LATCH MINI PCI EXPRESS CONNECTOR				
SIZE A3	CAGE CODE 00779	DRAWING NO C-1827682	RESTRICTED TO -	
CUSTOMER DRAWING		SCALE 4:1	SHEET 1 OF 3	REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN 2006.  
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J		SEE SHEET 1	-	-	-




NOTES  
 1. PCI EXPRESS MINI CARD, PCB THICKNESS 1.0MM.  
 2. CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES PLATING AND/OR METALIZATION.  
 3. BEVEL MUST BE FREE OF CUTTING BURRS.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics AMP K.K.		
DIMENSIONS: MM		CHK	Kawasaki, Japan		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME		
0 PLC ±		PRODUCT SPEC	LATCH		
1 PLC ±		APPLICATION SPEC	MINI PCI EXPRESS CONNECTOR		
2 PLC ±		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±		A3	00779	C-1827682	-
4 PLC ±		CUSTOMER DRAWING			
ANGLES ±		SCALE	SHEET	OF	REV
FINISH ±		2:1	2	3	A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN 2006.  
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J			-	SEE SHEET 1	-	-	-



△ PEELING RESISTANCE: 0.1~0.3N  
 SPEED: 300mm/min.



TOP OF REEL →



300EA	8-912103-4	1827682-1
QTY/REEL	EMBOSS TAPE P/N	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics AMP K.K. Kawasaki, Japan		
DIMENSIONS: MM		CHK	NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	LATCH MINI PCI EXPRESS CONNECTOR		
0 PLC ±		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
1 PLC ±		APPLICATION SPEC	A3 00779 C-1827682		
2 PLC ±		WEIGHT	CUSTOMER DRAWING SCALE 4:1 SHEET 3 OF 3 REV A		
3 PLC ±					
4 PLC ±					
ANGLES ±					
FINISH					

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1827682-1](#)