



RECTANGULAR POWER CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) FEMALE BLOCK MIN. RECT. AMP | MCN

201311-1
TE Internal Number: 201311-1

Always EU RoHS/ELV Compliant

Product Type **Housing**

Housing Type **Receptacle**

Connector System **Cable-to-Cable, Cable-to-Panel**

Applies To **Panel, Wire/Cable**

Number of Positions **75**

Product Drawings

[BLOCK, FEMALE, 75 PLACE, MINIATURE RECTANGULAR, M SERIES](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[75 And 104 Position Series "M" Connectors And Accessories](#)

PDF
English

[75 And 104 Position Series "M" Connectors And Accessories](#)

TIF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

	Housing Type	Receptacle
	Contact Type	Socket
Configuration Features	Number of Positions	75
	Centerline	4.57 mm [.18 in]
Mechanical Attachment	Panel Mount Retention Type	Screw Mount
	Panel Mount Retention	With
Housing Features	UL Flammability Rating	UL 94V-0
	Housing Color	Black
	Housing Material	Phenolic
Dimensions	Width	28.19 mm [1.11 in]
	Height	65.91 mm [2.595 in]
	Length	23.24 mm [.915 in]
Usage Conditions	Sealed Condition	Not Sealed
Operation/Application	Connector System	Cable-to-Cable, Cable-to-Panel
	Applies To	Panel, Wire/Cable
	Operating Temperature	-55 – 150 °C [-67 – 302 °F]
Packaging Features	Packaging Method	Carton
	Packaging Quantity	50
Other	For Use With	Plug Block
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT



MALE BLOCK 75 PL.-MIN
RECT.
201310-1

 Save to List

 Find Similar Products

609-4030LF FEM SOCKT,
LEAD FREE
2-1658526-0

 Save to List

 Find Similar Products

3521 750K 1% 2W
3521750KFT

 Save to List

 Find Similar Products

MALE BLOCK. 75 PL.-MIN.
RECT.
201310-3

 Save to List

 Find Similar Products

