



CRIMP D-SUB CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE) PLUG ASSY SIZE 4 [AMPLIMITE](#) | Crimp Snap

205210-3
TE Internal Number: 205210-3

[Always EU RoHS/ELV Compliant](#)

Connector Style **Plug**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**

Product Drawings

[PLUG CONNECTOR, SIZE 4, 37 POSITION, AMPLIMITE HDP](#)
PDF
English

CAD Files

[Customer View Model](#)
2D_DXF.ZIP
English

[3D PDF](#)
PDF
3D

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)
PDF
English

Product Specifications

Product Specification

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)
PDF
English

Application Specification

[AMPLIMITE HD-20 PCB Mounted Connector](#)
PDF
English
[AMPLIMITE HDP-20 And Economy Crimp Snap Subminiature D Commercial Connectors](#)

Qualification Test Report

PDF
English
[Connector, AMPLIMITE HD-20, Printed Circuit Board Mounted](#)
PDF
English
[Connector, AMPLIMITE HD-20 Surface Mount](#)
TIF
English

Connector, AMPLIMITE HD-20 Surface Mount

PDF
Japanese

Connector, AMPLIMITE HD-20 Surface Mount

PDF
English

AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_205210-3_082720131032_dmtec](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMPLIMITE High Density \(HDP-20\) Connectors With Crimp-Type Contacts](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style

Plug

Shell Size

4

Shielded

Yes

Shell Type

Full Metal Shell

Product Type

Connector

Grade

Standard

Grounding Indents

With

Configuration Features

Number of Positions

37

Body Features

Shell Material

Steel

Shield Plating Material

Tin

Shell Plating Material

Tin

Insert Material

Thermoplastic

Shield Material

Steel

Contact Features

Contact Size

20

Mechanical Attachment

Mating Connector Lock

With

Mating Connector Lock Type

Mounting Holes

Operation/Application

For Use With

Crimp Snap-in

Industry Standards	Insert Flammability Rating	UL 94V-0
	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Box
	Packaging Quantity	250
Other	Comment	Plugs accept size 20 DF pin contacts.
Product Compliance		
Statement of Compliance PDF		
VIEW ALL PRODUCT COMPLIANCE		

CUSTOMERS ALSO BOUGHT

CRIMP D-SUB CONNECTORS



HDP-20, PLUG, SIZE 4, 37 POSN
205210-7

Save to List

Find Similar Products

MULTI-FUNCTION INLET FILTERS

6EDL1S M0=F7346L
1-6609122-9

Save to List

Find Similar Products

D-SUB CONNECTOR CONTACTS



20DF PIN CONTACT, PLATED
745254-2

Save to List

Find Similar Products

CRIMP D-SUB CONNECTORS



RECP ASSY SIZE 4
205209-2

Save to List

Find Similar Products

Products - 11 Results

View All

Compare 0/10

Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap
KIT, HDP-20, OVRMLD, RCPT, SIZE 4, - 1658651-1
TE INTERNAL NUMBER: 1658651-1

Active

Always EU RoHS/ELV Compliant

Connector Style Receptacle

Number of Positions 37

Contact Size 20


Shell Size 4

RELATIONSHIP

Plug Kits

Used to identify Plug Kits

[See All Plug Kits](#)



PRODUCT - PLUG KITS

Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap
**KIT, PLUG, 37P, HDP-20,
SHLD ENCLS - 5747958-1**
TE INTERNAL NUMBER: 5747958-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap
**RECP ASSY SIZE 4
- 205209-2**
TE INTERNAL NUMBER: 205209-2
ALIAS ID: 010-1145-00, 2-42934-5729

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**