




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E2	REVISED PER ECO-15-014756	13OCT2015	DD	JS


LEVER IN
PRE-STAGE POSITION






ISOMETRIC VIEW
SCALE 1:1



LEVER IN
LOCKED POSITION



ISOMETRIC VIEW
SCALE 1:1




NATURAL/OFF-WHITE	261.25	SHUNT	2-2103212-7
NATURAL/OFF-WHITE	525.60	350A (EV)	2-2103212-2
BLACK	525.60	350A (EV)	2-2103212-1
NATURAL/OFF-WHITE	525.60	250A (EV)	1-2103212-9
NATURAL/OFF-WHITE	525.60	200A (EV)	1-2103212-8
BLACK	261.25	SHUNT	1-2103212-7
BLACK	525.60	350A	1-2103212-2
NATURAL/OFF-WHITE	525.60	350A	1-2103212-1
BLACK	525.60	250A	2103212-9
BLACK	525.60	200A	2103212-8
INNER LEVER COLOR	PART WEIGHT (g)	FUSE RATING	PART NO.


- 1 INNER HOUSING MAY BE ASSEMBLED ROTATED 180° FROM AS SHOWN.
- 2 ASSEMBLY / WORK INSTRUCTIONS: 408-10432
PRODUCT SPECIFICATION: 108-127000
APPLICATION SPECIFICATION: 501-127000
- 3 NOTE DELETED.
- 4 SEE TABLE AND SHEET 2 FOR FUSE RATINGS AND KEYING.
- 5 IMAGE FOR REFERENCE ONLY, SHOWS LABEL ORIENTATION.
- 6 ACTUAL APPEARANCE OF LABEL.

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN A. BOYER 14JUL2011	 TE Connectivity		
DIMENSIONS: mm		CHK A. BOYER 14JUL2011			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. GUANCO 14JUL2011	NAME PLUG ASSEMBLY MANUAL SERVICE DISCONNECT		
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC - APPLICATION SPEC - WEIGHT SEE TABLE	SIZE A200779		
MATERIAL - -		CUSTOMER DRAWING	DRAWING NO C-2103212		
		SCALE 1:1	SHEET 1 OF 2		
			REV E2		


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




2103212-8 & 1-2103212-8
FUSE RATING: 200A



2103212-9 & 1-2103212-9
FUSE RATING: 250A



1-2103212-1, 1-2103212-2, 2-2103212-1
& 2-2103212-2
FUSE RATING: 350A



1-2103212-7 & 2-2103212-7
SHUNT

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN A. BOYER CHK A. BOYER APVD A. GUANCO	14JUL2011 14JUL2011 14JUL2011	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PLUG ASSEMBLY MANUAL SERVICE DISCONNECT	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC - APPLICATION SPEC - WEIGHT SEE TABLE CUSTOMER DRAWING		SIZE A200779	CAGE CODE C-2103212
MATERIAL - -		SCALE 1:1		SHEET 2 OF 2	REV E2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2103212-9](#)