




RJ11 CONNECTORS



TE CONNECTIVITY (TE) 4P/4C.MOD.JACK ASSY DEC Connect

215222-1
TE Internal Number: 215222-1

Converted to EU RoHS/ELV Compliant
Connector Style **Jack**
PCB Mounting Orientation **Perpendicular**
Shielded **No**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

MODULAR JACK M.T., 4 POS./4 CONT WITH INSULATION DISPLACEMENT CONTACTS

PDF (TIFF AVAILABLE)
English

MODULAR JACK M.T., 4 POS./4 CONT WITH INSULATION DISPLACEMENT CONTACTS

PDF (TIFF AVAILABLE)
English

CAD Files

3D PDF

PDF
3D

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style	Jack
PCB Mounting Orientation	Perpendicular
Shielded	No
Applies To	Panel Mount
Jack Type	RJ11

	Connector Type	Connector Assembly
	Product Type	Connector - Modular
Configuration Features	Keyed	No
	Wiring Pattern	One-to-One, USOC
	Number of Positions	4
Contact Features	Solder Tail Contact Plating Material	Tin-Lead over Nickel
	Contact Mating Area Plating Material	Gold Flash over Palladium Nickel
	Contact Base Material	Phosphor Bronze
Termination Features	Termination Method to Wire/Cable	Insulation Displacement Crimp (IDC)
	Termination Style	110 Style Punch-Down
Housing Features	Housing Color	Black
	Housing Material	PBT GF
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Box/Carton
	Packaging Quantity	3000
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	