

Lever Locks & Padlocks

Specifying a product when ordering

**AFTER SELECTING THE PRODUCT YOU REQUIRE, PLEASE
ADD THE FOLLOWING:**

1. LOCK SPECIFICATIONSEE 12.10 FOR DETAILS

**2. KEYING DETAILS.....SEE 12.20 AND PRODUCT
DATA SHEET FOR DETAILS**

**3. FIXING DETAILSSEE 12.20 AND PRODUCT
DATA SHEET FOR DETAILS**

PLEASE CONTACT OUR SALES DEPARTMENT IF YOU REQUIRE HELP

LOWE & FLETCHER LTD


MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.

TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk

7 Lever Dead Bolt Rim Lock




2201




PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	DIMN.X
2201-5100 M	ZA	900	6,7
2204-5100 M	ZE	900	6,7
2207-5100 M	ZG	900	17,0
2210-5100 M	ZL	900	23,3
2211-5100 M	ZL	900	29,6

M = MASTER KEY SYSTEM: SUPPLIED AS STANDARD
STANDARD FINISH: ZINC PLATE

LOCKS OPERATED BY FLAT-TYPE KEY
 ALL LOCKS ARE SUPPLIED TO OPERATE WITH THEIR INDIVIDUAL SERIES MASTER KEY UNLESS SPECIFIED OTHERWISE.
 FIXING HOLES SHOWN ARE STANDARD, BUT CAN BE VARIED TO SUIT INDIVIDUAL REQUIREMENTS.
 LOCKS NORMALLY SUPPLIED WITH KEY FREE IN LOCKED AND UNLOCKED POSITIONS, BUT CAN BE SUPPLIED WITH KEY TRAPPED IN THE UNLOCKED POSITION.



2216



PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	DIMN.X
2216-0100	40	6,000 NON MASTERED	5,5
2216-5100 M	41	1000 MASTERED	5,5

M = MASTER KEY SYSTEM: SUPPLIED TO ORDER ONLY
STANDARD FINISH: ZINC PLATE

LOCKS OPERATED BY PIN-TYPE KEY

FIXING HOLES SHOWN ARE STANDARD, BUT CAN BE VARIED TO SUIT INDIVIDUAL REQUIREMENTS.
 LOCKS NORMALLY SUPPLIED WITH KEY FREE IN LOCKED AND UNLOCKED POSITIONS, BUT CAN BE SUPPLIED WITH KEY TRAPPED IN THE UNLOCKED POSITION.


LOWE & FLETCHER LTD

MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.
 TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk



7 Lever Spring Bolt Rim Lock



2303



2351



PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	DIMN.X
2303-5100 M	ZA	900	6,7

PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	DIMN.X
2351-0100	40	6,000 NON-MASTERED	5,5
2351-5100 M	41	1000 MASTERED	5,5

M = MASTER KEY SYSTEM: SUPPLIED AS STANDARD UNLESS OTHERWISE SPECIFIED
STANDARD FINISH: ZINC PLATE
LOCKS OPERATED BY FLAT TYPE KEY

M = MASTER KEY SYSTEM: SUPPLIED TO ORDER ONLY
STANDARD FINISH: ZINC PLATE
LOCKS OPERATED BY PIN-TYPE KEY


LOWE & FLETCHER LTD

MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.


TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk

WEB SITE: www.lowe-and-fletcher.co.uk

7 Lever Safe Lock




2802




PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS
2802-0200	57	1,600 NON MASTERED

STANDARD FINISHES: ZINC PLATED & PASSIVATED
SPECIFICATION:
 STEELCASE WITH LOCKING BOLT AND INTERNAL LEVER MECHANISM IN BRASS.
 PHOSPHOR BRONZE SPRINGS. STEEL KEYS - NICKEL PLATED.
 THIS LOCK IS SUPPLIED WITH FIXING HOLES FITTED WITH REINFORCING SPACERS.
 LOCK CAN BE SUPPLIED WITH A KEY RETAINING FEATURE SO THAT KEY CAN ONLY BE REMOVED IN THE LOCKED POSITION.
 AVAILABLE WITH Ø19,5 KEY ENTRY BUSH 2802-0200
 ANTI-PICK LEVERS FITTED AS STANDARD.
 EXTENDED DIFFER RANGE POSSIBLE ON REQUEST.



3001





PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS
3001-0300	42	5,000 NON MASTERED

STANDARD FINISHES: ZINC PLATED & PASSIVATED
 NOZZLES AVAILABLE ON REQUEST
 ANTI-PICK LEVERS FITTED AS STANDARD
 BOLTFACE MAY BE DRILLED AND TAPPED AS REQUIRED
 KEYS - STEEL - DIMENSION BIT TO BOW
 20,48 OR 57mm

LOWE & FLETCHER LTD


MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.
 TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk

Mortice Deadlock — Rim Deadlock



3006

3006



PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS
3006-0200 (3006-0201)	49	5,000 NON MASTERED	3006-0210 (3006-0211)	49	5,000 NON-MASTERED
3006-5200 (3006-5201)	55 M	1,000 MASTERED	3006-5210 (3006-5211)	55 M	1,000 MASTERED

<p>M = MASTER KEYED LOCKS STANDARD FINISH: ZINC PLATE CASE-ZINC PLATE NOZZLE IS AVAILABLE REF No.s IN () REFER TO LOCKS WITH RETAINED KEY</p>	<p>M = MASTER KEYED LOCKS STANDARD FINISH: ZINC PLATE CASE-ZINC PLATE NOZZLE IS AVAILABLE REF No.s IN () REFER TO LOCKS WITH RETAINED KEY</p>
---	---

LOWE & FLETCHER LTD

MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.



TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk

8 Lever Safe Lock


Vds Class 1 Rating

8 Lever Safe Lock

Non Vds Rating




3007



PRODUCT REFERENCE NUMBERS			
PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	FIXING
3007060A	SR1	80,000	LEFT EDGE RH HINGED DOOR
3007080A	SR1	80,000	RIGHT EDGE LH HINGED DOOR

STANDARD MOVEMENTS: 6, 8
 STANDARD FINISH: SELF COLOUR
 DOUBLE BITTED KEY AVAILABLE IN 4 LENGTHS
 DIMENSION 'A'
 15, 40, 70 OR 115, PLEASE SPECIFY WHEN ORDERING.
 HIGH PRECISION DIE CAST & PRESSED STEEL COMPONENTS
 ANTI-PICK LEVERS FITTED AS STANDARD
 HIGH STRENGTH BOLT DRILLED & TAPPED M4 X 12.

3009



PRODUCT REFERENCE NUMBERS			
PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	FIXING
3009060A	SR1	10,000	LEFT EDGE RH HINGED DOOR
3009080A	SR1	10,000	RIGHT EDGE LH HINGED DOOR
3009160A	SR1	10,000	LEFT EDGE RH HINGED DOOR
3009180A	SR1	10,000	RIGHT EDGE LH HINGED DOOR

STANDARD MOVEMENTS: 6, 8
 STANDARD FINISH: SELF COLOUR
 DOUBLE BITTED KEY AVAILABLE IN 4 LENGTHS DIMENSION 'A'
 15, 40, 70 OR 115, PLEASE SPECIFY WHEN ORDERING.
 KEY RETAINED: 3009060A, 3009080A
 KEY REMOVABLE: 3009160A, 3009180A
 HIGH PRECISION DIE CAST & PRESSED STEEL COMPONENTS
 ANTI-PICK LEVERS FITTED AS STANDARD
 HIGH STRENGTH BOLT MAY BE DRILLED & TAPPED AS REQUESTED.
 CAN BE PURCHASED KEYED ALIKE.

LOWE & FLETCHER LTD



MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.
 TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk

11 Lever Safe Lock — 8 Lever Safe Lock

VDS Class 2



Without Key Guide Pin

Vds Class 1 Rating



3010

3012



PRODUCT REFERENCE NUMBERS

PRODUCT REFERENCE NUMBERS	COMBINATIONS	FIXING
3010060A	200000	LEFT EDGE RIGHT HAND HINGED DOOR
3010080A	200000	RIGHT EDGE LEFT HAND HINGED DOOR

STANDARD MOVEMENTS: 6 & 8

STANDARD FINISHES: SELF COLOUR

DOUBLE BITTED KEY AVAILABLE IN 4 LENGTHS
DIMENSION "A" = 15, 40, 70 OR 115mm PLEASE SPECIFY
WHEN ORDERING

HIGH PRECISION DIE CAST & PRESSED PARTS
ANTI PICK LEVERS FITTED AS STANDARD
ENV 1300 CLASS B

PRODUCT REFERENCE NUMBERS

PRODUCT REFERENCE NUMBERS	KEY SERIES	COMBINATIONS	FIXING
3012060A	SR1	80,000	LEFT EDGE RH HINGED DOOR
3012080A	SR1	80,000	RIGHT EDGE LH HINGED DOOR

STANDARD MOVEMENTS: 6, 8

STANDARD FINISH: SELF COLOUR

DOUBLE BITTED KEY AVAILABLE IN 4 LENGTHS

DIMENSION "A" = 15, 40, 70 OR 115, PLEASE SPECIFY
WHEN ORDERING.

KEY RETAINED.

HIGH PRECISION DIE CAST & PRESSED STEEL
COMPONENTS.

ANTI-PICK LEVERS FITTED AS STANDARD
HIGH STRENGTH BOLT DRILLED & TAPPED M4 X 12.

LOWE & FLETCHER LTD


MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.

TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk

Brass Padlock



2502



PRODUCT REFERENCE NUMBERS	SIZE	COMBINATIONS
2502-0100	31,5	1500
2503-0100	38	1500

STANDARD FINISH: BRASS
SOLID BRASS WARDED PADLOCK, BRASS SHACKLE, SPRINGS
KEYS - STEEL - NICKEL PLATED
PADLOCKS CAN BE SUPPLIED IN SUITES EACH WITH ITS OWN MASTER KEY

THIS PADLOCK CONFORMS TO CEGB SPECIFICATIONS 1352/1001 CODE 13/52/495 AND IS PARTICULARLY SUITABLE FOR USE ON ELECTRICAL SWITCHGEAR

IT MAY BE USED FOR ANY OTHER APPLICATION WHERE SECURITY AGAINST PICKING IS NOT OF THE GREATEST IMPORTANCE

LOWE & FLETCHER LTD

MOORCROFT DRIVE, WEDNESBURY, WEST MIDLANDS, ENGLAND WS10 7DE.
 TELEPHONE: 0121 505 0400. FAX: 0121 505 0420. E-MAIL: sales@lowe-and-fletcher.co.uk WEB SITE: www.lowe-and-fletcher.co.uk