







LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	RELEASE PER ECO-16-001264	1FEB2016	RG	SH




SCALE 3:1

- ⚠ MATERIAL:
CAGE ASSEMBLY- STAINLESS STEEL.
BRACKET- STAINLESS STEEL.
EMI GASKET- NIKCEL-GRAPHITE FILLED SILICONE.
HOUSING- BLACK LCP,UL 94V-0 RATED
CHICKLET- BLACK LCP,UL 94V-0 RATED
LIGHT PIPE- POLYCARBONATE, CLEAR, UL 94V-0 RATED
CONTACT- COPPER ALLOY.
GASKET - CONDUCTIVE RUBBER, UL 94V-0 RATED
- ⚠ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MINIMUM PCB THICKNESS OF 1.57mm.
- ⚠ CONTACT FINISH- CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-127010. BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.
- ⚠ THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES. TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.
- ⚠ LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE WITH A HEIGHT OF 0.8mm.
7. CAGE FINISH-1.25 μ m MINIMUM NICKEL PLATING.

BOTH LIGHT PIPES WITH DOWN DIRECTION	1-2214574-0
3 ROUND VENT HOLES	2214574-9
BOTH LIGHT PIPES	2214574-8
BOTH LIGHT PIPES	2214574-7
INNER LIGHT PIPES	2214574-6
OUTER LIGHT PIPES	2214574-5
NO LIGHT PIPES	2214574-4
BOTH LIGHT PIPES	2214574-3
INNER LIGHT PIPES	2214574-2
OUTER LIGHT PIPES	2214574-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROBERT GAN 20APR2013	 TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK JASON YANG 20APR2013		
DIMENSIONS: mm		APVD ALEX CAI 20APR2013	NAME	CAGE AND PT CONNECTOR ASSEMBLY WITH EMI GASKET, PRESS FIT, 2X2, STACKED QSFP+
		PRODUCT SPEC		
		108-127010	SIZE	CAGE CODE DRAWING NO
		APPLICATION SPEC		
MATERIAL		114-32020	WEIGHT	RESTRICTED TO
		FINISH		
CUSTOMER DRAWING		A1 00779C=2214574		
		SCALE 4:1 SHEET 1 OF 4 REV A		




DETAIL A
2X INDIVIDUALLY
SCALE 8:1

DETAIL B
SCALE 12:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROBERT GAN 20APR2013	 TE Connectivity			
		CHK JASON YANG 20APR2013				
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	CAGE AND PT CONNECTOR ASSEMBLY WITH EMI GASKET, PRESS FIT, 2X2, STACKED QSFP+		
		0 PLC ± .				
		1 PLC ± 0.05				
		2 PLC ± 0.05				
		3 PLC ± .				
4 PLC ± .						
ANGLES ± .						
MATERIAL	FINISH ± .		SIZE A1	CAGE CODE 00779C	DRAWING NO = 2214574	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 4:1		SHEET 2 OF 4	REV A


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




RECOMMENDED PANEL CUTOUT
AND PC BOARD PANEL POSITION
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROBERT GAN CHK JASON YANG APVD ALEX CAI	20APR2013 20APR2013 20APR2013	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ± - 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH		PRODUCT SPEC 108-127010 APPLICATION SPEC 114-32020	
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO A100779C=2214574	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 4 REV A	


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




2214574-1




2214574-2




2214574-3




2214574-4




2214574-5




2214574-6




2214574-7



2214574-8



2214574-9



1-2214574-0

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	ROBERT GAN	20APR2013	 TE Connectivity	
				CHK	JASON YANG	20APR2013		
				APVD	ALEX CAI	20APR2013	NAME	CAGE AND PT CONNECTOR ASSEMBLY WITH EMI GASKET, PRESS FIT, 2X2, STACKED QSFP+
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE		RESTRICTED TO
mm		0 PLC ±0.25		108-127010		CAGE CODE		
		2 PLC ±0.15		APPLICATION SPEC		DRAWING NO		
		3 PLC ±		114-32020		00779		
		4 PLC ±		WEIGHT		C=2214574		
		ANGLES FINISH		CUSTOMER DRAWING		SCALE		
						4:1		
						SHEET		
						4		
						OF		
						4		
						REV		
						A		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2214574-3](#)