






LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REVISED PER ECO-15-000199	13JAN2015	AP	DG


- 1 HOUSINGS AND CHICKLETS: LCP, BLACK, UL94V-O RATED.
CONTACTS: COPPER ALLOY.
- 2 CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION, 108-32038 BASED ON EIA/ECA-364-1000.01A (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING END.
TIN PLATED ON PCB TAIL.
3. MATES WITH TE PLUG 2227603-1.
4. MOUNTING HARDWARE M2x1.35 SELF-THREADING SCREW
SCREW LENGTH OF FASTENER = PCB THICKNESS + 3.0mm MAX
(1.75mm MIN) MOUNTING HARDWARE NOT INCLUDED.
- 5 RECOMMENDED COMPONENT KEEP OUT ZONE.
- 6 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN.





2227640-1
PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TREA 26DEC2012	 TE Connectivity						
		CHK R. HENRY 26DEC2012							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY, 1X2, VERTICAL, INTERNAL MINI SAS HD -	RESTRICTED TO -				
mm									
		0 PLC ± 1 PLC ± 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ± FINISH				PRODUCT SPEC 108-32038 APPLICATION SPEC 114-32101 WEIGHT -	SIZE A1	CAGE CODE 00779	DRAWING NO. C=2227640
MATERIAL : 1		: 2				CUSTOMER DRAWING		SCALE 4:1	SHEET 1 OF 2

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
SCALE 6:1



DETAIL W
SCALE 20:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TREA	26DEC2012	TE Connectivity	
		CHK R.HENRY	26DEC2012		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC $\pm$		PRODUCT SPEC	
		1 PLC $\pm$		108-32038	
		2 PLC ± 0.10		APPLICATION SPEC	
		3 PLC $\pm$		114-32101	
		4 PLC $\pm$		WEIGHT	
MATERIAL		FINISH		CUSTOMER DRAWING	
-		-		SCALE 4:1 SHEET 2 OF 2 REV A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2227640-1](#)