

## TNC CONNECTORS



✓ Active

### TE CONNECTIVITY (TE) TNC PLUG DUAL W/P

AMP | TBC Plus

225550-6

TE Internal Number: 225550-6

Mil-Spec: M39012/26B0006

Always EU RoHS/ELV Compliant

Applies To **Coaxial Cable**

PCB Mount Retention **Without**

50 Ohm **Yes**

75 Ohm **No**

Connector Style **Plug**

 **PRODUCT DRAWING**

English

 **3D PDF**

### Product Drawings

#### PLUG, WEATHERPROOF, SERIES TNC

PDF

English

### CAD Files

#### 3D PDF

PDF

3D

#### Customer View Model

2D\_DXF.ZIP

English

#### Customer View Model

3D\_IGS.ZIP

English

#### Customer View Model

3D\_STP.ZIP

English

### Instruction Sheets

Instruction Sheet (U.S.)

#### COAXICON 50-Ohm TNC MIL-Type Plug Connectors

PDF

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

### Product Type Features

Applies To

**Coaxial Cable**

Connector Style

**Plug**

Cable Type

**RG 142, RG 142A, RG 142B, RG 400**

Product Type

**Connector - RF**

Grade

**Military**

	Dielectric Material	<b>PTFE</b>
Configuration Features	Solder Terminal	<b>Without</b>
Electrical Characteristics	50 Ohm	<b>Yes</b>
	75 Ohm	<b>No</b>
	Impedance ( $\Omega$ )	<b>50</b>
Body Features	Body Style	<b>Straight</b>
	Body Plating Material	<b>Silver</b>
	Body Shape	<b>Circular</b>
	Body Material	<b>Phosphor Bronze</b>
Contact Features	Center Contact Material	<b>Brass</b>
	Center Contact Plating Material	<b>Gold</b>
Termination Features	Cable Termination Type	<b>Crimp</b>
	Crimp Type	<b>Dual</b>
Mechanical Attachment	PCB Mount Retention	<b>Without</b>
	Panel Mount	<b>Without</b>
	Safety Wire Holes	<b>Without</b>
Packaging Features	Packaging Method	<b>Package</b>
Product Compliance	<a href="#">Statement of Compliance</a> PDF <a href="#">VIEW ALL PRODUCT COMPLIANCE</a>	

