

CHECKMASTER

Order No.: 2838924



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2838924>

Tester for checking the functions of TRABTECH protective devices

Commercial data

GTIN (EAN)	 4 017918 821753
Note	Made-to-order
sales group	J500
Pack	1 pcs.
Customs tariff	90303310
Catalog page information	Page 188 (TT-2009)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Connection method	Inlet connector for non-heating dev. - IEC 60320-1/C14
Nominal voltage U_N	230 V AC (100 V AC ... 240 V AC)
Ambient temperature (operation)	5 °C ... 35 °C
Ambient temperature (storage/transport)	-10 °C ... 60 °C
Degree of protection	IP20
Length	203.00 mm
Width	450.00 mm
Height	410.00 mm
Color	black

Data bits	8
Data rate	9600 Bit/s (Default)
Stop bits	1 or 2
Interface	V.24 (RS-232)
Transmission physics	Copper

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;