

RAD-PIG-EF142-PIPE

Order No.: 2885922



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2885922>

Adapter cable, pigtail 50 cm SMA(m) -> SMA(m) with gasket sleeve to connect the panel antenna to RAD-ISM-2400-...PIPE-... radio systems

| Commercial data | |
|--------------------------|---|
| GTIN (EAN) |  4 046356 347518 |
| sales group | H178 |
| Pack | 1 pcs. |
| Customs tariff | 85442000 |
| Catalog page information | Page 651 (IF-2011) |

Product notes

WEEE/RoHS-compliant since:
09/18/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

| General | |
|-------------------|---------------------------|
| Connection 1 | Plug connector connection |
| Connection method | Type SMA (male) |
| Connection 2 | Plug connector connection |
| Connection method | Type SMA (male) |

| | |
|---------------------------------|---------------------------|
| Fixed cable length | 50 cm |
| Cable type | EF 142 |
| Cable, attenuation | Approx. 0.93 dB/m |
| Minimum bending radius | 30.00 mm |
| External diameter | 5.00 mm |
| Outer sheath, material | Radox (LSFH) |
| Connection name | Plug connector connection |
| Connection method | Type SMA (male) |
| Ambient temperature (operation) | -30 °C ... 70 °C |

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;