




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		A2	REVISED PER ECO-11-004917	11MAR11	RK	HMR



CONTACT ARRANGEMENT




FIG 1

- FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
- SWITCH SHOWN IN OPEN POSITION.
- ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
- STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300 +.010 AT MOUNTING SURFACE. -.000
- ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002 /95/EC OF 27JAN2003 (ROHS).
- MATERIAL: HOUSING AND ROCKERS - POLYESTER
CONTACT & SOLDER LEAD - COPPER ALLOY
- FINISH: CONTACT - GOLD OVER NICKEL
SOLDER LEAD - TIN OVER NICKEL
- OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	FIG 7	FIG 1	.58	5	8-5435668-7
			.58	5	3-5435668-5
			.48	4	3-5435668-4
			.38	3	3-5435668-3
			1.28	12	3-5435668-2
			1.18	11	3-5435668-1
			1.08	10	3-5435668-0
			.98	9	2-5435668-9
			.88	8	2-5435668-8
			.78	7	2-5435668-7
OBSOLETE	FIG 2	FIG 2	.28	2	2-5435668-6
			.68	6	2-5435668-5
			1.08	10	5435668-9
			.88	8	5435668-7
			.68	6	5435668-5
			.58	5	5435668-4
			.48	4	5435668-3
			.28	2	5435668-1
OBSOLETE					
MARKING		SEALING TAPE	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV		08JAN05		 TE Connectivity	
		CHK —		—			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —		NAME	
		0 PLC ± —		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE	
		1 PLC ± —		—			
		2 PLC ± —		—			
		3 PLC ± .005		APPLICATION SPEC			
		4 PLC ± —		—			
MATERIAL		FINISH		WEIGHT —		RESTRICTED TO —	
				A2		00779 C=5435668	
CUSTOMER DRAWING						SCALE 4:1	
						SHEET 1 of 2	
						REV A2	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—




FIG 2





FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV		08JAN05		 TE Connectivity			
		CHK —		—					
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD —		NAME			
		0 PLC ± —		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
		1 PLC ± —		—					
		2 PLC ± —		—					
		3 PLC ± .005		APPLICATION SPEC					
		4 PLC ± —		—					
MATERIAL		FINISH		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
—		—		—		A2	00779	C=5435668	—
CUSTOMER DRAWING						SCALE	SHEET		REV
						4:1	2 of 2		A2

D

C

B

A

D

C

B

A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-5435668-4](#)