

## ICC-MT 1,5-2,5 BA

Order No.: 3190593

Supplied in tape form - please note the drawing.



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190593>

Module male contact, is inserted into the ICC connector shell after the conductor has been crimped, for conductors from 1.5-2.5 mm<sup>2</sup>, ribbon contact

Commercial data	
GTIN (EAN)	 4 017918 100599
sales group	E192
Pack	4000 pcs.
Customs tariff	85369010
Catalog page information	Page 851 (CC-2011)

#### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.


Technical data	
<b>Technical data</b>	
Nominal current	12 A
Conductor cross section stranded min.	1.5 mm <sup>2</sup>
Max. conductor cross section, stranded	2.5 mm <sup>2</sup>

**Connection data**

Core diameter including insulation	2.11 mm ... 3.1 mm
Stripping length of individual wires	4 mm

**Diagrams/Drawings**

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;