

## Cable duct - CD-HF 60X100 BU - 3240597


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable duct, blue, halogen-free, comprising upper part and mounting base, width: 60 mm, height: 100 mm, length: 2000 mm

RoHS

### Key Commercial Data

|                        |   |
|------------------------|---|
| Packing unit           | 1 STK   |
| Minimum order quantity | 8 STK   |
| GTIN                   | <br>4 046356 624398 |
| GTIN                   | 4046356624398   |
| Custom tariff number   | 39259020  |
| Country of origin      | Germany   |

### Technical data

#### Dimensions

|            |         |
|------------|---------|
| Length (b) | 2000 mm |
| Width (a)  | 60 mm   |
| Height     | 100 mm  |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 90 °C |
|---------------------------------|------------------|

#### General

|  |              |
|--|--------------|
| Color                                  | blue         |
| Components                             | Halogen-free |
| Flammability rating according to UL 94 | V0           |
| Material                               | PC/ABS       |

# Cable duct - CD-HF 60X100 BU - 3240597


## Technical data

### Standards and Regulations

|  |     |
|--|-----|
| Halogen-free                           | yes |
| Connection in acc. with standard       | CSA |
| Flammability rating according to UL 94 | V0  |

## Drawings

Dimensional drawing



Base perforation according to DIN EN 50085

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140602 |
| eCl@ss 4.1 | 27140602 |
| eCl@ss 5.0 | 27140602 |
| eCl@ss 5.1 | 27140602 |
| eCl@ss 6.0 | 27400703 |
| eCl@ss 7.0 | 27400703 |
| eCl@ss 8.0 | 27400703 |
| eCl@ss 9.0 | 27400703 |

### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000012 |
| ETIM 5.0 | EC000012 |
| ETIM 6.0 | EC000012 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30101815 |
| UNSPSC 7.0901 | 30101815 |
| UNSPSC 11     | 30101815 |

# Cable duct - CD-HF 60X100 BU - 3240597

## Classifications

### UNSPSC

|              |          |
|--------------|----------|
| UNSPSC 12.01 | 30101815 |
| UNSPSC 13.2  | 39131712 |

## Approvals

### Approvals

---

#### Approvals


CSA / VDE Zeichengenehmigung


---

#### Ex Approvals

---

### Approval details

|     |   |   |        |
|-----|---|---|--------|
| CSA |  | <a href="http://www.csagroup.org/services/testing-and-certification/certified-product-listing/">http://www.csagroup.org/services/testing-and-certification/certified-product-listing/</a> | 248269 |
|-----|---|---|--------|

|                        |   |   |          |
|------------------------|---|---|----------|
| VDE Zeichengenehmigung |  | <a href="http://www.vde.com/en/Institute/OnlineService/VDE-approved-products/Pages/Online-Search.aspx">http://www.vde.com/en/Institute/OnlineService/VDE-approved-products/Pages/Online-Search.aspx</a> | 40028972 |
|------------------------|---|---|----------|

## Accessories

### Accessories

#### Filler plug

Fastening clip - RVT-PA 4 - 3240498



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 ... 6 mm

---

## Cable duct - CD-HF 60X100 BU - 3240597

### Accessories

Fastening clip - RVT-PA 6 - 3240499



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 ... 6 mm

---

### Riveting tools

Tool - UNIFOX-RVT P 4 - 1212478



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets

---

Tool - UNIFOX-RVT P 6 - 1212509



Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

---