

## Protective hose - WP-STEEL PVC C 36 - 3240872

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Galvanized steel protective hose with PVC coating, 1 Pcs. / Pkt. = roll à 10 m

Image shows WP-STEEL PVC C  
10 version



### Key commercial data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 10 M                                                                                                    |
| Minimum order quantity               | 10 M                                                                                                    |
| GTIN                                 | <br>4 046356 737371 |
| Weight per Piece (excluding packing) | 99.99 g                                                                                                 |
| Custom tariff number                 | 83071000                                                                                                |
| Country of origin                    | Germany                                                                                                 |
| Note                                 | Made to Order (non-returnable)                                                                          |

### Technical data

#### Dimensions

|                    |          |
|--------------------|----------|
| Inner diameter (f) | 29.00 mm |
| Outside diameter   | 36.00 mm |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -25 °C ... 80 °C |
| Short-term temperature          | 100 °C           |

#### General

|                        |                       |
|------------------------|-----------------------|
| Color                  | black                 |
| Type                   | Spirals, sheathed     |
| Material               | Steel, galvanized/PVC |
| Bending radius, static | 145.00 mm             |

## Protective hose - WP-STEEL PVC C 36 - 3240872

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27141131 |
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001179 |
| ETIM 5.0 | EC001179 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121411 |
| UNSPSC 13.2   | 39121411 |

### Approvals

#### Approvals

#### Approvals

VDE Zeichengenehmigung

#### Ex Approvals

#### Approvals submitted

#### Approval details

VDE Zeichengenehmigung 

### Accessories

#### Accessories

Corrugated pipe screw connection

## Protective hose - WP-STEEL PVC C 36 - 3240872

### Accessories

Screw connection - WP-G BRASS IP65 PG29 - 3241056



Cable gland made from brass with Pg thread, IP65 protection

---

Screw connection - WP-G BRASS IP65 M32 - 3241063



Cable gland made from brass with metric thread, IP65 protection

---

### Mounting material

Hose clamp - WP-BASE HF 37 - 3240972



Hose clamps

---

Protective hose fixing bracket - WP-BASE A PG29 - 3241081



Fixing bracket for protective sleeves, fixed with two screws

---

### Protective cap

Cable protection end sleeve - WP-SC BRASS WP PVC 36 - 3241077



End sleeves as cable protection, made of brass, for WP-STEEL PVC C