

## Cable protection end sleeve - WP-SC HF 10 - 3241016

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



End sleeves as cable protection

RoHS

### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	50 STK
GTIN	 4 046356 711487
GTIN	4046356711487
Custom tariff number	39174000
Country of origin	Germany

### Technical data

#### Dimensions

Diameter	10.00 mm
Inner diameter (f)	7.00 mm

#### Ambient conditions

Ambient temperature (operation)	-10 °C ... 110 °C
---------------------------------	-------------------

#### General

Color	gray
Components	Halogen-free
Flammability rating according to UL 94	HB
Material	PP

### Standards and Regulations

## Cable protection end sleeve - WP-SC HF 10 - 3241016

### Technical data

#### Standards and Regulations

Flammability rating according to UL 94	HB
--	----

### Classifications

#### eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131
eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27439210
eCl@ss 9.0	27430316

#### ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC002584
ETIM 5.0	EC000519
ETIM 6.0	EC000519

#### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	40141734

### Accessories

#### Accessories

##### Corrugated pipe

Protective hose - WP-SPIRAL PVC C 10 - 3240849



Protective hose, spring steel wire with PVC coating, highly stranded

## Cable protection end sleeve - WP-SC HF 10 - 3241016

### Accessories

Protective hose - WP-SPIRAL PU C HF 10 - 3240856



Protective hose, spring steel wire with PU coating, highly stranded

---

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>