For all Embedded Antennas



Part Number Structure:

Connector

33-aaaa-xx-yyyy-zz

Product

Valid Connectors

00 = SMA straight male (plug) 10 = SMA Right Angle ** 20 = SMA Female 01 = TNC female11 = Reverse polarity SMA** 22 = R/A OMA**02 = MCX straight male (plug) 12 = Waterproof SMA** 23 = SMP**03 = MMCX straight male (plug) 13 = SSMA ** 24 = SMC Male 04 = SMB straight male (plug) 25 = SMC Straight Female 05 = MCX right angle male (plug) 15 = TNC male (plug)26 = SMB Straight Female

06 = MMCX right angle male (plug)
16 = N-Type Male**
27 = MCX Female Straight
17 = BNC Male**
28 = SSMCX Straight Plug**


08 = H.FL (female)** (micro-coax cable) 18 = FME** 29 = R/A SSMCX Plug ** 09 = U.FL (micro-coax cable) 19 = MMCX Female 30 = SMB with Overmold**

33 = MMCX straight male **

34x = FAKRA (replace "x" with colour code)**

For the **TW2000** Family of Products

Part Number Structure:



Valid Connectors

Without Cable:

07 = SMA female (jack) bulkhead

With Cable (max length 5m):

00 = SMA straight male (plug)10 = SMA Right Angle **20 = SMA Female01 = TNC female11 = Reverse polarity SMA**22 = R/A QMA**02 = MCX straight male (plug)12 = Waterproof SMA**23 = SMP**03 = MMCY straight male (plug)13 = SMA**24 = SMC MALE

03 = MMCX straight male (plug) 13 = SSMA ** 24 = SMC Male 04 = SMB straight male (plug) 25 = SMC Straight Female

05 = MCX right angle male (plug) 15 = TNC male (plug) 26 = SMB Straight Female 06 = MMCX right angle male (plug) 16 = N-Type Male** 27 = MCX Female Straight 17 = BNC Male** 28 = SSMCX Straight Plug**

17 = BNC Male**

18 = FME**

19 = MMCX Female

28 = SSMCX Straight Plug**

29 = R/A SSMCX Plug **

30 = SMB with Overmold**

33 = MMCX straight male **


34x = FAKRA (replace "x" with colour code)**

** Premiums apply. Please check with your Distributor

NOTE: To order any of the TW2000 antennas with NO MAGNETS, add "NM" after the Product (eg. 33-2410NM-00-3000). To add Adhesive Tape to the bottom of the same, add "AT" after the Product Name (eg. 33-2410AT-07). If you desire both, then use NMAT, eg. 33-2410NMAT-07.

For the **TW3000** Family of Products

For TW3865, TW3870E, TW3965 & TW3970E - refer to Page 1 Embedded Antennas





Tallysmar

Valid Connectors

Without Cable:

01 = TNC female 14 = N-Type female

With Cable (max length 5m):

 $00 = SMA ext{ straight male (plug)}$ $10 = SMA ext{ Right Angle **}$ $20 = SMA ext{ Female}$ $01 = TNC ext{ female}$ $11 = Reverse ext{ polarity SMA**}$ $22 = R/A ext{ QMA**}$ $02 = MCX ext{ straight male (plug)}$ $12 = Waterproof ext{ SMA**}$ 23 = SMP** $24 = SMC ext{ Male}$

03 = MMCX straight male (plug)13 = SSMA **24 = SMC Male04 = SMB straight male (plug)25 = SMC Straight Female

05 = MCX right angle male (plug) 15 = TNC male (plug) 26 = SMB Straight Female 06 = MMCX right angle male (plug) 16 = N-Type Male** 27 = MCX Female Straight 17 = BNC Male** 28 = SSMCX Straight Plug**

18 = FME**

19 = MMCX Female

29 = R/A SSMCX Plug **

30 = SMB with Overmold**

33 = MMCX straight male **

34x = FAKRA (replace "x" with colour code)**

** Premiums apply. Please check with your Distributor

Radome Codes:

00 = Dark grey Conical 10 = Dark grey low profile 01 = White Conical 11 = White low profile

For the **TW4000** Family of Products

Part Number Structure:

Connector
33-<u>4aaa</u>-xx-yyyy
Product — cable length in mm

Valid Connectors

 $\begin{array}{lll} 00 = SMA \text{ straight male (plug)} & 10 = SMA \text{ Right Angle **} & 20 = SMA \text{ Female} \\ 01 = TNC \text{ female} & 11 = \text{Reverse polarity SMA**} & 22 = R/A \text{ QMA**} \\ 02 = MCX \text{ straight male (plug)} & 12 = Waterproof SMA** & 23 = SMP** \\ 03 = MMCX \text{ straight male (plug)} & 13 = SSMA ** & 24 = SMC \text{ Male} \\ \end{array}$

04 = SMB straight male (plug) 25 = SMC Straight Female 05 = MCX right angle male (plug) 15 = TNC male (plug) 26 = SMB Straight Female

06 = MMCX right angle male (plug) 16 = N-Type Male** 27 = MCX Female Straight 17 = BNC Male** 28 = SSMCX Straight Plug** 18 = FME** 29 = R/A SSMCX Plug **

19 = MMCX Female 29 = R/A SSMCX Plug ***

19 = MMCX Female 30 = SMB with Overmold**

33 = MMCX straight male **

34x = FAKRA (replace "x" with colour code)**

** Premiums apply. Please check with your Distributor

NOTE: To order any of the TW4000 antennas with NO MAGNETS, add "NM" after the Product (eg. 33-4421NM-00-3000). To add Adhesive Tape to the bottom of the same, add "AT" after the Product Name (eg. 33-4421AT-00-3000). If you desire both, then add them together, eg>

Page 2 January 2017

For the TW5000 Family of Products



Part Number Structure:

Configuration code: x= 0 = RS232 12V; 1 = RS232 5V; 2 = CMOS 5V, 3 = CMOS, 3.3V, 5 = RS232 3.3V

Radome Codes:

00 = Dark grey Conical 10 = Dark grey low profile 01 = White Conical 11 = White low profile

For the **VP6000** Family of Products

Part Number Structure: 33-6abbcd-ee-ff-gg

a = Covered Frequencies:

0 = All GNSS frequencies + L-Band (1525 - 1559 MHz

2 = L1/L2, G1/G2, B1/B2, E1 + L-Band

50 = 50 dB

35 = 35dB

 $\mathbf{bb} = LNA Gain$

3= L1/L2/L5, G1/G2/G3, B1/B2, E1/E5a+b

4 - 9 = Reserved for future use

c = Base Type

0 = Standard base

1 - 9 = Reserved for future use

 $\mathbf{d} = Options$

0 = No options

ee and ff = connector types:

01 = TNC Female 14 = N-Type Female **

xx = no connector

** Premiums apply. Please check with your Distributor.

NOTE: ff defines a second connector (requiring a custom base to be ordered)

At this time, ff defaults to "xx"

gg = radome:

01 = White Conical 11 = White Flat top

Example:

33-605000-01-xx-11 Is an antenna which covers all GNSS frequencies + L-Band, provides, 50 dB of gain, uses a standard base, has one TNC female connector and a white flat top radome.

For the **TW7000** Family of Products



Part Number Structure:

Valid Connectors

Without Cable:

07 = SMA female (jack) bulkhead

With Cable (max length 5m):

 $00 = SMA ext{ straight male (plug)}$ $10 = SMA ext{ Right Angle **}$ $20 = SMA ext{ Female}$ $01 = TNC ext{ female}$ $11 = Reverse ext{ polarity SMA**}$ $22 = R/A ext{ QMA**}$ 23 = SMP** 23 = SMP** $24 = SMC ext{ Male}$

04 = SMB straight male (plug)

05 = MCX right angle male (plug)

06 = MMCX right angle male (plug)

15 = TNC male (plug)

16 = N-Type Male**

17 = BNC Male**

18 = FME**

21 = SMC Straight Female

26 = SMB Straight Female

27 = MCX Female Straight

28 = SSMCX Straight Plug**

29 = R/A SSMCX Plug **

18 = FME**

19 = MMCX Female

29 = R/A SSMCX Plug **

30 = SMB with Overmold**

33 = MMCX straight male **

34x = FAKRA (replace "x" with colour code)**

** Premiums apply. Please check with your Distributor

NOTE: To order any of the TW7000 antennas with NO MAGNETS, add "NM" after the Product (eg. 33-7970NM-00-3000). To add Adhesive Tape to the bottom of the same, add "AT" after the Product Name (eg. 33-7970AT-07). If you desire both, then use NMAT, eg. 33-7970NMAT-07.

Page 4 January 2017