

CRIMP RINGS & SPADES





✓ Active



PRODUCT DRAWING



3D PDF

TERMINIAL COLL

TERMINAL, SOLIS R 12-10 10 SOLISTRAND | SOLISTRAND

33457

TE Internal Number: 33457 Mil-Spec: MS20659-105 Alias ID: A27999-000, AMP-0-0033457-0

Always EU RoHS/ELV Compliant
Terminal Shape Ring Tongue

Stud Diameter 5 mm [.197 in]

Sealed No

Heavy Duty No

Wire Size (AWG) 12 - 10

Product Drawings

TERMINAL, RING TONGUE, SOLISTRAND

PDF **English**

CAD Files

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF **3D**

Customer View Model

3D_IGS.ZIP **English**

Customer View Model

3D_STP.ZIP English

Product Environmental Compliance

TE Material Declaration

MD_33457_05022013720_dmtec

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed

No

Barrel Type

Closed Barrel

Wire/Cable Type

Regular Wire

Insulated

No

Insulated Wire Support

No

Stud Size 10 RING-048 Shape Code Wire/Cable Composition **Solid or Stranded** Configuration Features Number of Holes **Body Features** Plating Material Copper, Tin Inspection Slot No Contact Features Terminal Shape **Ring Tongue** Terminal Orientation Straight 1 & 2 Class Dimensions Stud Diameter 5 mm [.197 in] Wire Size (AWG) 12 – 10 Wire Size (mm²) 3 – 6 Wire Size (CMA) 5180 - 13100 Barrel Inside Diameter 3.28 mm [.129 in] Material Thickness .99 mm [.039 in] Overall Length 19.43 mm [.765 in] Barrel Inside Diameter (Min) 3.28 mm [.129 in] Usage Conditions Operating Temperature Range (°C) 170 Operation/Application Heavy Duty No Industry Standards Government Qualified Yes

Product Compliance Statement of Compliance

PDF

Packaging Method

Packaging Quantity

VIEW ALL PRODUCT COMPLIANCE

Loose Piece

500

Packaging Features

