

< 1 ps Phase Jitter!

5032 Packages!

IDT MEMS Oscillator 212.50 MHz LVDS


IDT MEMS Oscillator 156.25 MHz LVPECL

- Low Jitter
- Low Cost
- Fast Lead Times
- Standard Packages

BENEFITS / FEATURES

- **Short lead times**
 - Enables Just-In-Time inventory management
- **Standard differential outputs**
 - LVDS, LVPECL
- **Standard package sizes**
- **Low Phase Jitter**
 - < 1.0 ps rms (12 kHz to 20 MHz)
- **± 50 ppm Frequency Stability**
- **Shock and vibration resistant**
- **Up to 40x higher reliability than Quartz**

www.idt.com/go/MEMS


LVDS LVPECL	 5032	 7050
Package Size	5.0 x 3.2 mm	7.0 x 5.0 mm
Supply Voltage	2.5 or 3.3 V	2.5 or 3.3 V
Frequency Range	50 MHz ~ 625 MHz	50 MHz ~ 625 MHz
Frequency Stability	± 50 ppm	± 50 ppm
Temperature Range	-40 to +85°C	-40 to +85°C

Standard Frequencies (MHz)



100	106.25	125	133.33	148.5	150	155.52	156.25
159.375	160	161.133	187.5	200	212.5	250	312.5

ADDITIONAL CUSTOM FREQUENCIES AVAILABLE UPON REQUEST

PART ORDERING GUIDELINE




PACKAGE OUTLINE AND DIMENSIONS



MEMS OSCILLATOR EVALUATION BOARD

FEATURES

- Differential SMA output
- Standard banana plug power connectors
- Available in standard 5032 and 7050 size packages
- Selectable output termination for both LVDS and LVPECL
- Switch control for Output Enable (OE)



The MEMS Oscillator Evaluation Board is designed to provide a convenient platform to quickly evaluate the performance and operation of IDT's family of MEMS oscillators. The board includes provisions for LVPECL and LVDS termination and can also be configured to terminate directly into a 50 Ω oscilloscope. For VTT terminated LVPECL, a separate bias voltage (VDD - 2V) is also generated onboard for measurement convenience.

TECHNICAL SUPPORT

EMAIL: MEMS_Support@idt.com

WEBSITE: www.idt.com/go/MEMS



DISCLAIMER Integrated Device Technology, Inc. (IDT) and its subsidiaries reserve the right to modify the products and/or specifications described herein at any time and at IDT's sole discretion. All information in this document, including descriptions of product features and performance, is subject to change without notice. Performance specifications and the operating parameters of the described products are determined in the independent state and are not guaranteed to perform the same way when installed in customer products. The information contained herein is provided without representation or warranty of any kind, whether express or implied, including, but not limited to, the suitability of IDT's products for any particular purpose, an implied warranty of merchantability, or non-infringement of the intellectual property rights of others. This document is presented only as a guide and does not convey any license under intellectual property rights of IDT or any third parties. IDT's products are not intended for use in life support systems or similar devices where the failure or malfunction of an IDT product can be reasonably expected to significantly affect the health or safety of users. Anyone using an IDT product in such a manner does so at their own risk, absent an express, written agreement by IDT.

Integrated Device Technology, IDT and the IDT logo are registered trademarks of IDT. Other trademarks and service marks used herein, including protected names, logos and designs, are the property of IDT or their respective third party owners. © Copyright 2013. All rights reserved.

PB_MEMS4M_REV0413

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

IDT (Integrated Device Technology):

<u>4MA133330Y3BACTGI</u>	<u>4MA050000Z3AACTGI</u>	<u>4MA074250Z3AACUGI</u>	<u>4MA125000Y4AACTGI</u>
<u>4MA133330Y3BACUGI8</u>	<u>4MA233333Z4AACTGI</u>	<u>4MA150000Y3AACUGI</u>	<u>4MA400000Y3AACUGI</u>
<u>4MA400000Y3AACTGI8</u>	<u>4MA050000Z3AACTGI8</u>	<u>4MA074250Z4AACTGI</u>	<u>4MA125000Y4AACTGI8</u>
<u>4MA133330Z3AACTGI8</u>	<u>4MA150000Y3AACTGI</u>	<u>4MA133333Y3BACTGI8</u>	<u>4MA150000Y3AACUGI8</u>
<u>4MA074250Z4AACUGI8</u>	<u>4MA133330Z3AACTGI</u>	<u>4MA233333Z4AACUGI</u>	<u>4MA074250Z4AACTGI8</u>
<u>4MA074250Z3AACTGI</u>	<u>4MA074250Z3AACUGI8</u>	<u>4MA085000Z3AACUGI</u>	<u>4MA150000Y3AACTGI8</u>
<u>4MA400000Y3AACTGI</u>	<u>4MA133333Y3BACTGI</u>	<u>4MA133330Y3BACTGI8</u>	<u>4MA074250Z3AACTGI8</u>
<u>4MA085000Z3AACUGI8</u>	<u>4MA133330Y3BACUGI</u>	<u>4MA400000Y3AACUGI8</u>	<u>4MA050000Z3AACUGI8</u>
<u>4MA133330Z3AACUGI</u>	<u>4MA233333Z4AACTGI8</u>	<u>4MA133330Z3AACUGI8</u>	<u>4MA233333Z4AACUGI8</u>
<u>4MA074250Z4AACUGI</u>	<u>4MA085000Z3AACTGI8</u>	<u>4MA133333Y3BACUGI8</u>	<u>4MA133333Y3BACUGI</u>
<u>4MA085000Z3AACTGI</u>	<u>4MA050000Z3AACUGI</u>	<u>4MA125000Y4AACUGI</u>	<u>4MA125000Y4AACUGI8</u>