



BNC CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

BNC LOW PROFILE ELBOW SOCKET 50 OHMS

5-1634513-1

TE Internal Number: 5-1634513-1

Always EU RoHS/ELV Compliant

Applies To **Printed Circuit Board**

Panel Mount Retention **Without**

PCB Mount Retention **With**

PCB Termination Method **Hold-Down Posts**

Body Material **Zinc**

Product Drawings

BNC LOW PROFILE ELBOW SOCKET

PDF
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
3D

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Printed Circuit Board

Sealed

No

RF Connector Type

BNC

Connector Style

Jack

PCB Mounting Orientation

Right Angle

Dielectric Material

PTFE

ESD Protection









Without

Isolated Ground

No

	Grade	Commercial
	Product Type	Connector - RF
Configuration Features	Solder Terminal	Without
	Number of Ports	1
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Material	Zinc
	Body Plating Material	Nickel
	Body Style	Straight
	Body Insulation	Without
	Body Shape	Circular
Contact Features	Center Contact Material	Phosphor Bronze
	Center Contact Plating Material	Gold
Termination Features	PCB Termination Method	Hold-Down Posts
Mechanical Attachment	Panel Mount Retention	Without
	PCB Mount Retention	With
	Panel Mount	Without
	Polarized	No
	Mounting Post Length	3.3 mm [.13 in]
	Mounting Post Style	Straight
	Hardware Included	No
Dimensions	PCB Thickness (Recommended)	3.2 mm [.126 in]
	Height above PCB	11 mm [.433 in]
Packaging Features	Packaging Quantity	100
	Packaging Method	Box, Tray/Box
Other	Comment	Low Profile.

CUSTOMERS ALSO BOUGHT

THROUGH-HOLE RESISTORS	PCI & PCI EXPRESS CONNECTORS	MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES	PCB D-SUB CONNECTORS
<p>H8 1K96 0.1% 15PPM H81K96BYA</p>	<p>PCI EXPRESS CONN. EON TYPE, 16 1871058-4</p>	<p>40 MODII HDR DRST B/A .100CL 7-146250-0</p>	<p>68 50SR R/A RCPT ASSY, RDSN L/F 5787169-7</p>
<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>