









REVISED EC NO: J2013-0870 2013/02/07 DRWN:KAWASHIO 2013/02/13 CHKD:KASAKAWA 2013/02/13 APPR:Y01ITO	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY T.MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE R/A REC. ASS'Y 8-15CKT. -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY K.ASAKAWA	DATE 2006/08/28					
		30 OVER	±0.3	APPROVED BY Y01ITO	DATE 2006/08/28	molex				
		ANGULAR	±3 °	MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE			SD-502386-002			2 OF 3
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_J_ME_S
Rev G 2012/01/25



NOTES

- 製品詳細寸法については、SD-502386-001, -002 を参照下さい。
PLEASE REFER TO SD-502386-001, -002 FOR THE DETAILED DIMENSION OF THE CONNECTOR.
- 梱包数量 : 1200個
NUMBER OF CONNECTIONS : 1200 PIECES/REEL.
- リードテープ長さ
LEAD TAPE LENGTH



- 材料
MATERIAL
キャリアテープ : ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ : ポリエステル、ポリエチレン、ポリエチレンテレフタレート
TOP TAPE : POLYESTER, POLYETHYLENE, POLYETHYLENE TEREPHTHALATE
リール : ポリスチレン <リサイクル材を含む>
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED>
- ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

45.5	20.2	44	502386-15**	15
45.5	20.2	44	502386-14**	14
33.5	14.2	32	502386-13**	13
33.5	14.2	32	502386-12**	12
33.5	14.2	32	502386-11**	11
33.5	14.2	32	502386-10**	10
25.5	11.5	24	502386-09**	9
25.5	11.5	24	502386-08**	8
25.5	11.5	24	502386-07**	7
25.5	11.5	24	502386-06**	6
25.5	11.5	24	502386-05**	5
25.5	11.5	24	502386-04**	4
17.5	7.5	16	502386-03**	3
17.5	7.5	16	502386-02**	2
C	B	エンボステープ幅 A WIDTH OF TAPE	製品番号 MATERIAL NO.	極数 [KT. NO.]

REVISED		EC NO. : J2013-0870		2013/02/07		2013/02/13		2013/02/13		DRWN:KAWASHIO		CHKD:KASAKAWA		APPR:YO ITO		REV	
GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		CHECKED BY K. ASAKAWA		DATE 2006/10/16	
10 UNDER		±0.2		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		TITLE 1.25 W/B CONN. SINGLE R/A REC. EMBTP PKG		APPROVED BY YO. ITO		DATE 2006/10/16		MATERIAL NO.		DOCUMENT NO.	
10 OVER 30 UNDER		±0.25		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		MATERIAL NO.		APPROVED BY YO. ITO		DATE 2006/10/16		MATERIAL NO.		DOCUMENT NO.	
30 OVER		±0.3		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		MATERIAL NO.		APPROVED BY YO. ITO		DATE 2006/10/16		MATERIAL NO.		DOCUMENT NO.	
ANGULAR ±3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		MATERIAL NO.		APPROVED BY YO. ITO		DATE 2006/10/16		MATERIAL NO.		DOCUMENT NO.	
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		MATERIAL NO.		APPROVED BY YO. ITO		DATE 2006/10/16		MATERIAL NO.		DOCUMENT NO.	

	10	9	8	7	6	5	4	3	2	1						
F	WITHOUT CAPTON TAPE			WITH CAPTON TAPE									F			
	HSG COLOR : ORANGE			HSG COLOR : GREEN		HSG COLOR : BLUE		HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL				
E	502386-**28	—//—	15	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	15			
		—//—	14	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	14			
		—//—	13	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	13			
		—//—	12	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	12			
		—//—	11	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	11			
		—//—	10	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	10			
		502386-0948	9	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	9			
		—//—	8	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	—//—	8			
		—//—	7	502386-**16	502386-0736	502386-**14	502386-0734	502386-**12	502386-0732	502386-**11	502386-0731	502386-**08	502386-0772	7		
		—//—	6		502386-0636		502386-0634		502386-0632		502386-0631		502386-0672	6		
—//—	5	502386-0536	502386-0534		502386-0532		502386-0531		502386-0572		5					
—//—	4	502386-0436	502386-0434		502386-0432		502386-0431		502386-0472		4					
—//—	3	502386-0336	502386-0334		502386-0332		502386-0331		502386-0372		3					
—//—	2	502386-0236	502386-0234	502386-0232	502386-0231	502386-0272	2									
D	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT, NO.)	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT, NO.)		
C	WITHOUT CAPTON TAPE														C	
	HSG COLOR : GREEN			HSG COLOR : BLUE		HSG COLOR : YELLOW			HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL			
	502386-**26	502386-1546	502386-**24	502386-1544	502386-**23	—//—	502386-**22	502386-1542	502386-**21	502386-1541	502386-**09	502386-1570	15			
		502386-1446		502386-1444		—//—		502386-1442		502386-1441		502386-1470	14			
		502386-1346		502386-1344		—//—		502386-1342		502386-1341		502386-1370	13			
		502386-1246		502386-1244		—//—		502386-1242		502386-1241		502386-1270	12			
		502386-1146		502386-1144		—//—		502386-1142		502386-1141		502386-1170	11			
		502386-1046		502386-1044		—//—		502386-1042		502386-1041		502386-1070	10			
		502386-0946		502386-0944		502386-0943		502386-0942		502386-0941		502386-0970	9			
		502386-0846		502386-0844		—//—		502386-0842		502386-0841		502386-0870	8			
		502386-0746		502386-0744		—//—		502386-0742		502386-0741		502386-0770	7			
		502386-0646		502386-0644		—//—		502386-0642		502386-0641		502386-0670	6			
		502386-0546		502386-0544		—//—		502386-0542		502386-0541		502386-0570	5			
		502386-0446		502386-0444		—//—		502386-0442		502386-0441		502386-0470	4			
		502386-0346		502386-0344		—//—		502386-0342		502386-0341		502386-0370	3			
		502386-0246		502386-0244		—//—		502386-0242		502386-0241		502386-0270	2			
	B	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT, NO.)		
	A	REVISED EC NO: J2013-0870 DRWN:KAWASHIO CHKD:KASAKAWA APPR:Y01TO 2013/02/07 2013/02/13 2013/02/13	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION					
10 UNDER ±0.2			DRAWN BY DATE T.MIYAZAKI 2006/10/16		TITLE		1.25 W/B CONN. SINGLE R/A REC. EMBTP PKG molex									
10 OVER 30 UNDER ±0.25			CHECKED BY DATE K.ASAKAWA 2006/10/16													
30 OVER ±0.3			APPROVED BY DATE Y01TO 2006/10/16													
ANGULAR ±3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-502386-003		2 OF 2									
SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
tb_frame_A3_J_ME_S Rev G 2012/01/25			9	8	7	6	5	4	3	2						