











注記 NOTES

- 製品詳細寸法については図面 SD-503320-001 を参照下さい。
RE DETAILED DIMENSION, SEE SD-503320-001
- 梱包数量 : 3000 個/リール
NUMBER OF CONNECTORS : 3000 PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



- 材料 MATERIAL
キャリアテープ (CARRIER TAPE) : ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE) : PET , PE , PEF
リール (REEL) : ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>
- ELV & RoHS COMPLIANT



RELEASED		EC NO: J2010-0413		2009/09/15		DRW: C. ARIZONO		2009/05/20		MATERIAL NO.		503320-**60	
O		CHKD: T. HARUYAMA		2009/09/15		APPR: N. UKITA		2009/05/20		DESIGN UNITS		METRIC	
REV		DESCRIPTION		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		THIRD ANGLE PROJECTION			
				10 UNDER		±---		DRAWN BY		DATE		TITLE	
				10 OVER 30 UNDER		±---		C. ARIZONO		2009/05/20		0.25MM PITCH FPC CONN	
				30 OVER		±---		CHECKED BY		DATE		HGT=1.65 HSG ASSY	
				ANGULAR		±--- °		T. HARUYAMA		2009/05/20		EMBOSSSED TAPE PACKAGE	
				DRAFT WHERE APPLICABLE		MUST REMAIN		APPROVED BY		DATE		MOLEX INCORPORATED	
				WITHIN DIMENSIONS		SEE CHART		N. UKITA		2009/05/20		SD-503320-002	
								MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
								SEE CHART		SD-503320-002		1 OF 2	
								SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX			
								A3		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

