


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



PRODUCT NUMBER
SEE SHEET 3



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	$0.X \pm 0.5$	COPY		projection		www.fciconnect.com	
H	DG08-0272	JW	09/30/08		$0.XX \pm 0.25$	MIM		title		3ACP + 1P + 24S + 2P	
B	V02943	JRW	12/18/00	angles	$0.XXX \pm 0.1$	1:1		product family		PwrBlade	
C	V11186	CGD	04/12/01		$0^\circ \pm 2^\circ$	scale		size		code	
D	V12138	JRW	04/13/05	dr	E. KORFF	06/20/00		dwg no		213	
E	DG05-0083	SW	04/13/05	engr	J. BROWN	06/20/00		sheet		1 of 3	
F	DG05-0103	JM	05/08/05	chr	J. BROWN	06/20/00		A		51786	
G	DG05-0572	JMG	01/05/06	appd	J. BROWN	06/20/00		cage code		22526	
sheet index	revision sheet	H	H	H							
		1	2	3							

Pro/E




cage code
22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
SEE SHEET 3



SECTION C-C



SECTION C-C
(WITHOUT HOLDDOWN)



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.5	projection		COPY		title	
H					0.XX ±0.25					3ACP + 1P + 24S + 2P RIGHT ANGLE SOLDER HEADER	
				angles	0.XXX ±0.1			product family		PwrBlade	code
				dr	E. KORFF 06/20/00	scale		size		A	213
				enr	J. BROWN 06/20/00	1:1		dwg no		51786	sheet
				chr	J. BROWN 06/20/00						2 of 3
				appd	J. BROWN 06/20/00						
sheet index	revision sheet										




cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
U	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN
H	[5.59]	SIGNAL
E	[5.59]	SIGNAL
G	[5.59]	SIGNAL
X	OMITTED	OMITTED

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ± 0.5	projection		COPY		www.fciconnect.com	
H				angles	0.XX ± 0.25			title		3ACP + 1P + 24S + 2P RIGHT ANGLE SOLDER HEADER	
				dr	0.XXX ± 0.1			product family		PwrBlade	code
				enrg	0° ± 2°	scale		size		dwg no	213
				chr	E. KORFF 06/20/00	1:1		A		51786	sheet
				appd	J. BROWN 06/20/00						3 of 3
sheet index	revision sheet										

- CONNECTOR NOTES:
- HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 - PLATING
SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC. OF 51786-XXX; 51786-XXXLF
 - MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
 - PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- PCB NOTES:
- ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED.
 - ALL THROUGH HOLES ARE LOCATED WITH A TRUE POSITION OF 0.10
 - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 - Ø2.49+0.05/-0.02 THROUGH HOLES ARE UNPLATED (-001 AND -002)
Ø4.01±0.07 THROUGH HOLES ARE UNPLATED (-003 ONLY)
 - Ø1.151±0.025 DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE Ø1.02±.07 HOLE.
 - A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI:](#)

[51786-001LF](#) [51786-003LF](#) [51786-001](#) [51786-003](#)