



CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

TERMINAL R PG 4 1/4

PLASTI-GRIP

52043-3

TE Internal Number: 52043-3

Alias ID: A47082-000, AMPS-0-0052043-3

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **6.73 mm [.265 in]**

Tongue Thickness **1.22 mm [.048 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, RING TONGUE, PLASTI-GRIP, WIRE SIZE: 4 AWG](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
English

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[PLASTI GRIP_QRG](#)

PDF
English

Product Specifications

Application Specification

[PLASTI-GRIP Terminals And Splices](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[PLASTI-GRIP Pressure Type Straight And 90-Degree Bent Terminals \(Use Tooling For AMPLI-BOND Connectors\)](#)

PDF
English

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	M6
	Shape Code	RING-044
	Barrel Style	Standard
Wire/Cable Composition	Stranded	
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	600
Body Features	Plating Material	Copper, Tin
	Insulation Material	PVC
	Inspection Slot	No
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	6.73 mm [.265 in]
	Tongue Thickness	1.22 mm [.048 in]
	Wire Insulation Diameter (Max)	11.43 mm [.45 in]
	Wire Size (AWG)	4
	Wire Size (mm ²)	21.2
	Wire Size (CMA)	33100 – 52600
	Barrel Inside Diameter (in)	.45
	Overall Length (in)	1.948
Usage Conditions	Operating Temperature Range (°C)	105
Operation/Application	Heavy Duty	No

Industry Standards

Government Qualified

No

Packaging Features

Packaging Method

Loose Piece

Packaging Quantity

100

Other

Barrel Color

Yellow

Product Compliance

[Statement of Compliance](#)

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	SURFACE MOUNT RESISTORS	CRIMP RINGS & SPADES
TERMINAL R PG 4 3/8 52266-4	TERMINAL R PG 2 1/4 52267-1	RN 0805 12K7 0.1% 10PPM CUT LE RN73C2A12K7BTG	TERMINAL, PIDG R 12-10 3/8 35112
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products