


## SKINDICHT® SHV-M

SKINDICHT® SHV-M, robust special sealing cable gland, watertight with high strain relief, gentle cable clamping



Waterproof



Robust



Optimum strain relief

### Benefits

Watertight  
Gentle cable clamping  
Robust  
High strain relief

### Application range

Watertight cable gland with conical sealing element.  
Pumps  
Floater switches

### Product Make-up

Metric connection thread acc. to DIN EN 60423  
Basis for technical information DIN IEC 62444

## SKINDICHT® SHV-M

### Note

Counter nut to be used: SKINDICHT® SM-M  
Suitable accessory: SKINDICHT® SHV sealing cones  
Example description:  
SHV-M 20/11/7  
20 = metric connection thread  
11 = PG function thread  
7 = clear opening of sealing cone

### Technical Data

|                    |                                                                              |
|--------------------|------------------------------------------------------------------------------|
| Classification:    | ETIM 5.0 Class-ID: EC000441<br>ETIM 5.0 Class-Description: Cable screw gland |
| Caution:           | The installation dimensions<br>can be found in appendix T21                  |
| Material:          | Body: nickel-plated brass<br>Sealing cone: CR<br>O-ring: NBR                 |
| Protection rating: | IP 68 - 10 bar                                                               |
| Temperature range: | -20°C to +80°C                                                               |

### Note

Photographs are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.



**LAPP GROUP**

PRODUCT INFORMATION

## SKINDICHT® SHV-M

| Article number   | Article designation / size | Clamping range ØF (mm) | Function thread PG | SW1/SW2 mm | Total length C (mm) | Thread length, D (mm) | Clear width seal |
|------------------|----------------------------|------------------------|--------------------|------------|---------------------|-----------------------|------------------|
| SKINDICHT® SHV-M |                            |                        |                    |            |                     |                       |                  |
| 52105270         | M 12 x 1,5                 | 3 - 4.8                | 7                  | 14 / 14    | 26                  | 5                     | 5                |
| 52105280         | M 16 x 1,5                 | 4.5 - 5.8              | 9                  | 18 / 17    | 26.5                | 5                     | 6                |
| 52105290         | M 16 x 1,5                 | 5.5 - 6.8              | 9                  | 18 / 17    | 26.5                | 5                     | 7                |
| 52105300         | M 20 x 1,5                 | 6 - 6.8                | 11                 | 22 / 20    | 31                  | 6                     | 7                |
| 52105310         | M 20 x 1,5                 | 6.5 - 8.8              | 11                 | 22 / 20    | 31                  | 6                     | 9                |
| 52105320         | M 20 x 1,5                 | 6.5 - 8.8              | 13.5               | 22 / 22    | 32.5                | 6                     | 9                |
| 52105330         | M 20 x 1,5                 | 9 - 10.8               | 13.5               | 22 / 22    | 32.5                | 6                     | 11               |
| 52105340         | M 20 x 1,5                 | 9 - 10.8               | 16                 | 24 / 24    | 34.5                | 6                     | 11               |
| 52105350         | M 20 x 1,5                 | 9.5 - 12.8             | 16                 | 24 / 24    | 34.5                | 6                     | 13               |
| 52105360         | M 20 x 1,5                 | 13 - 14.8              | 16                 | 24 / 24    | 34.5                | 6                     | 15               |
| 52105370         | M 25 x 1,5                 | 13.5 - 15.8            | 21                 | 30 / 30    | 38.5                | 7                     | 16               |
| 52105380         | M 25 x 1,5                 | 15 - 17.8              | 21                 | 30 / 30    | 38.5                | 7                     | 18               |
| 52105390         | M 25 x 1,5                 | 17.5 - 19.8            | 21                 | 30 / 30    | 38.5                | 7                     | 20               |
| 52105400         | M 32 x 1,5                 | 17.5 - 21.8            | 29                 | 40 / 40    | 42.5                | 8                     | 22               |
| 52105410         | M 32 x 1,5                 | 19 - 23.8              | 29                 | 40 / 40    | 42.5                | 8                     | 24               |
| 52105420         | M 32 x 1,5                 | 23 - 25.8              | 29                 | 40 / 40    | 42.5                | 8                     | 26               |

Last Update (05.07.2017)

©2017 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16