




CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

TERMINAL,PIDG SPR SPD 16-14 6

[PIDG](#) | [PIDG](#)

52935-2

TE Internal Number: 52935-2

Always EU RoHS/ELV Compliant

Terminal Shape **Spring Spade**

Stud Diameter **3.56 mm [.14 in]**

Tongue Thickness **.79 mm [.031 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, SHORT SPRING SPADE, PIDG, WIRE SIZE: 16-14 AWG](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Specifications

Application Specification

[Pre-Insulated Diamond Grip \(PIDG\) Terminals, Splices, And End Caps](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMP* PIDG* \(VINYL\) & PLASTI-GRIP* SHORT SPRING SPADE TERMINALS FOR BAR](#)

TIF
English

[AMP* PIDG* \(VINYL\) & PLASTI-GRIP* SHORT SPRING SPADE TERMINALS FOR BAR](#)

PDF
English

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	6, M3.5
	Shape Code	SPADE-028
	Barrel Style	Standard
	Wire/Cable Composition	Solid or Stranded
Configuration Features	Terminal Angle	Straight
Electrical Characteristics	Voltage (Max) (V)	300
Body Features	Plating Material	Phosphor Bronze, Tin
	Insulation Sleeve Material	Copper
	Insulation Sleeve Color	Blue
	Insulation Material	Nylon
	Body Style	Short
	Inspection Slot	No
Contact Features	Terminal Shape	Spring Spade
	Terminal Orientation	Straight
Dimensions	Stud Diameter	3.56 mm [.14 in]
	Tongue Thickness	.79 mm [.031 in]
	Wire Insulation Diameter (Max) (in)	.182
	Wire Insulation Diameter	2.92 – 4.62 mm [.115 – .182 in]
	Wire Size (AWG)	16 – 14
	Wire Size (mm²)	1.25 – 2
	Wire Size (CMA)	2050 – 5180
	Barrel Inside Diameter (in)	.185
	Overall Length (in)	.799
Operation/Application	Heavy Duty	No

Operation/Application	Heavy Duty	Yes
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Other	Barrel Color	Blue
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

POWER CONTACTS



SKT, .062 DIA, .025 SQ
POST, LP
5-66461-5

Save to List

Find Similar Products

CRIMP RINGS & SPADES

TERMINAL, PIDG SPR SPD
16-14 6
52420

Save to List

Find Similar Products

CRIMP RINGS & SPADES

TERMINAL, PIDG SPD 12-
10 8
8-35152-2

Save to List

Find Similar Products

CRIMP RINGS & SPADES



TERMINAL, PIDG R 16-14
1/4
8-321045-1

Save to List

Find Similar Products

