


SERIES 5500 SWITCHES

PUSHBUTTON SWITCHES



E-SWITCH®



FEATURES & BENEFITS

- ▶ Single or dual LED options
- ▶ Hinged pushbutton design
- ▶ High operating life

APPLICATIONS/MARKETS

- ▶ Telecommunications
- ▶ Networking
- ▶ Computers/servers
- ▶ Performance audio
- ▶ Instrumentation
- ▶ Low power on/off designs
- ▶ External hard drives and modems

SPECIFICATIONS

Contact Ratings:	300mA @ 12 VDC
Life Expectancy:	500,000 cycles typical
Contact Resistance:	50mΩ max. typical @ 2-4 VDC, 100mA
Insulation Resistance:	50 MΩ min.
Dielectric Strength:	>1,000 V rms at sea level
Actuation Force:	255 grams max.
Operating Temperature:	-25°C to +65°C

MATERIALS

Housing:	Nylon
Cap:	ABS
Contacts:	Gold over nickel over copper alloy
Terminals:	Gold over nickel over copper alloy



HOW TO ORDER

SERIES	CAP STYLE	MECHANICAL CONFIGURATION	CAP COLOR	1st LED COLOR (1-LED cap styles only)	2nd LED COLOR (2-LED cap styles only)
55		M			
	01 = Small 11 = Large	M = Momentary	BLK = Black GRY = Grey YEL = Yellow BLU = Blue RED = Red ORG = Orange GRN = Green WHT = White	X = No LED RED = Red LED GRN = Green LED YEL = Yellow LED	RED = Red LED GRN = Green LED YEL = Yellow LED



Example Ordering Number

55-11-M-BLU
55-01-M-WHT-RED, GRN

Specifications subject to change without notice.

TACT
SWITCHES

NAVIGATION
SWITCHES

PUSHBUTTON
SWITCHES

TOGGLE
SWITCHES

ROCKER
SWITCHES

SLIDE
SWITCHES

SNAP-ACTION
SWITCHES

DIP
SWITCHES

KEYLOCK
SWITCHES

ROTARY
SWITCHES

DETECTOR
SWITCHES

CAP
OPTIONS



CAP
OPTIONS

P.C. MOUNTING

P.C. MOUNTING



5511





SCHEMATIC

P.C. MOUNTING

5511

1 LEDS





SCHEMATIC

P.C. MOUNTING

5511

2 LEDS



SCHEMATIC

P.C. MOUNTING

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

E-Switch:

[5501M5X](#) [5511M4X](#) [5511M1X](#) [5511M2X](#) [5511M5X](#) [5511M11](#) [5511M12](#) [5511M21](#) [5511M81](#) [5511M51](#) [5511M82](#)
[5511M52](#) [5501M42](#) [5501M21](#) [5501M82](#) [5501M81](#) [5501M51](#) [5501M11](#) [5501M12](#) [5501M13](#) [5501M52](#) [5501M2X](#)
[5501M1X](#) [5501M8X](#) [5501MGYRED](#) [5501M71](#) [5501M31](#) [5501M22](#) [5501M7X](#) [5501MREDGRNRED](#) [5501M112](#)
[5501M212](#) [5511M112](#) [5511M212](#) [5501MBLKGRNRED](#) [5501MBLKREDGRN](#) [5501MBLKYELGRN](#)
[5501MBLUREDGRN](#) [5501MGRNGRN](#) [5501MGYYELGRN](#) [5501MORGRED](#) [5501MWHTX](#) [5501MWHTYELRED](#)
[5501MYELREDGRN](#) [5511MBLKGRNYEL](#) [5511MGRNREDGRN](#) [5511MGRNX](#) [5511MGRNYEL](#) [5511MGYX](#)
[5511MGYYELGRN](#) [5511MREDREDGRN](#) [5511MWHTREDGRN](#) [5511MYELREDGRN](#) [5511MYELX](#)
[5511MBLUREDGRN](#) [5511MWHTX](#) [5501BLKO](#) [5501BLKOO](#) [5501BLUO](#) [5501GRNO](#) [5501GRNX](#) [5501GRYX](#)
[5501ORGX](#) [5501REDO](#) [5501WHTO](#) [5501WHTOO](#) [5501YELOO](#) [5501YELX](#) [5501BLKX](#) [5501BLUX](#) [5501GRYO](#)
[5501GRYOO](#) [5501ORGO](#) [5501REDOO](#) [5501REDX](#) [5501WHTX](#) [5501YELO](#) [5501M6X](#) [5501M32](#)
[5511MBLKGRNGRN](#) [5511M31](#) [5511M42](#) [5511M22](#) [5511MBLKREDGRN](#)